

THE
PHARMACOPŒIA
OF
ST. BARTHOLOMEW'S
HOSPITAL.

1896.

M15734

7



22500288612

DUNN, WHEELER & CO.

LIBRARIAN

No. 538

BURROUGHS, WELLCOME & CO.

LIBRARY

No. ^x 53 P. d. 3.

37. C. 7363

PHARMACOPŒIA
OF
St. Bartholomew's Hospital.



LONDON:
PRINTED BY CHARLES SKIPPER AND EAST,
49, GREAT TOWER STREET.

WELLINGTON 1896.
LONDON

B

000 000
(2867)

WELLCOME INSTITUTE LIBRARY	
Coll.	WelMOmec
Coll.	
No.	QV740
	.BES
	1896
	513 p

M15734

BURROUGHS, WELLCOME & CO.

LIBRARY

No. CONTENTS.

	PAGE.
MEDICAL OFFICERS... ..	5
FORMULÆ ALPHABETICALLY ARRANGED ...	7
TABLE OF PROPORTIONATE DOSES	50
POSOLOGICAL TABLE	51
HYPODERMIC MEDICATION	69
LIST OF B. P. PREPARATIONS FOR EXTERNAL USE	71
LIST OF B. P. SUPPOSITORIES	74
MEASURES AND WEIGHTS... ..	75
DIETARY	78

Medical Officers of the Hospital.

Consulting Physician :

DR. ANDREW.

Consulting Surgeons :

SIR JAMES PAGET, BART., D.C.L., F.R.S.

MR. HOLDEN.

Consulting Ophthalmic Surgeon :

MR. POWER.

Physicians :

DR. CHURCH.

DR. GEE.

SIR DYCE DUCKWORTH, M.D.

DR. HENSLEY.

DR. BRUNTON, F.R.S.

Assistant Physicians :

DR. NORMAN MOORE.

DR. SAMUEL WEST.

DR. ORMEROD.

DR. HERRINGHAM.

DR. TOOTH.

Physician-Accoucheur :

DR. CHAMPNEYS.

Assistant Physician-Accoucheur :

DR. GRIFFITH.

Ophthalmic Surgeons :

MR. VERNON.

MR. JESSOP.

Dental Surgeons :

MR. PATERSON.

MR. ACKERY.

Surgeons :

MR. SMITH.

MR. WILLETT.

MR. LANGTON.

MR. MARSH.

MR. BUTLIN.

Assistant Surgeons :

MR. WALSHAM.

MR. HARRISON CRIPPS.

MR. BRUCE CLARKE.

MR. BOWLBY.

MR. LOCKWOOD.

Aural Surgeon :

MR. CUMBERBATCH.

Medical Officer in charge of
Electrical Department :

DR. LEWIS JONES.

Pathologist :

DR. KANTHACK.

Assistant Dental Surgeons :

MR. READ.

MR. ACKLAND.



Digitized by the Internet Archive
in 2014

<https://archive.org/details/b20405662>

PHARMACOPŒIA.

The letters St.B.P. are appended when the British Pharmacopœia has a preparation of the same name but different composition.

Aqua Carui, St.B.P.

Spirit of Caraway	...	...	2 fl. drachms.
Distilled Water	...	...	to 1 pint.

Aqua Caryophylli.

Spirit of Cloves	...	...	2 fl. drachms.
Distilled Water	...	...	to 1 pint.

Aqua Cassiæ Ligneæ.

Spirit of Cassia Ligneæ	...	...	2 fl. drachms.
Distilled Water	...	...	to 1 pint.

Aqua Chloroformi, St.B.P.

Spirit of Chloroform...	...	...	$\frac{1}{2}$ fl. ounce.
Distilled Water	...	...	to 1 pint.

Aqua Glycyrrhizæ.

Extract of Liquorice	...	...	$\frac{1}{2}$ ounce.
Rectified Spirit	...	...	$\frac{1}{2}$ fl. ounce.
Distilled Water	...	...	to 1 pint.

Aqua Menthæ Piperitæ, St.B.P.

Spirit of Peppermint	...	...	2 fl. drachms.
Distilled Water	...	...	to 1 pint.

Aqua Rosmarini.

Spirit of Rosemary	...	...	2 fl. drachms.
Distilled Water	...	...	to 1 pint.

Balneum Calidum.

Water at 98° F. to 106° F. ... a sufficiency.

Balneum Tepidum.

Water at 85° F. to 92° F. ... a sufficiency.

Balneum Frigidum.

Water at 65° F. or reduced by gradual addition of ice to 40° F. or below ... a sufficiency.

Balneum Alkalinum.

Carbonate of Sodium, $\frac{1}{4}$ ounce for each gallon of water used.

Balneum Furfuris.

Bran 2 ounces for each gallon of water used.
Mix the Bran with a small quantity of boiling water, and add to sufficient water to give the required quantity.

Balneum Iodi.

Solution of Iodine, $\frac{1}{6}$ ounce for each gallon of water used.

Balneum Sulphureum.

Sulphurated Potash, $\frac{1}{4}$ ounce for each gallon of water used.

Collyrium Acidi Borici et Opii.

Boric Acid	...	...	...	5 grains.
Liquid Extract of Opium	...	...	...	1 fl. drachm.
Glycerine	...	...	...	2 fl. drachms.
Distilled Water	...	...	...	to 1 fl. ounce.

Collyrium Atropinæ Sulphatis.

Sulphate of Atropine	...	...	1 grain.
Distilled Water	...	...	to 1 fl. ounce.

Collyrium Atropinæ et Cocainæ.

Sulphate of Atropine	...	...	2 grains.
Hydrochlorate of Cocaine	...	...	5 grains.
Distilled Water	...	...	to 1 fl. ounce.

Collyrium Atropinæ et Zinci Sulphatis.

Sulphate of Atropine	...	...	1 grain.
Sulphate of Zinc	...	...	1 grain.
Distilled Water	...	...	to 1 fl. ounce.

Collyrium Cocainæ.

Hydrochlorate of Cocaine	...	...	5 grains.
Distilled Water	...	...	to 1 fl. ounce.

Collyrium Cocainæ et Olei Ricini.

Cocaine	...	...	20 grains.
Castor Oil	...	...	to 1 fl. ounce.

Collyrium Homatropinæ.

Hydrobromate of Homatropine	...	...	2 grains.
Distilled Water	...	...	to 1 fl. ounce.

Collyrium Opii.

Liquid Extract of Opium	...	...	2 fl. drachms.
Distilled Water	...	...	to 1 fl. ounce.

Collyrium Physostigminæ.

Sulphate of Physostigmine	...	...	2 grains.
Distilled Water	...	...	to 1 fl. ounce.

Confectio Ferri Redacti.

Reduced Iron ...	...	...	...	30 grains.
Treacle...	...	...	...	1 ounce.

Dose.— $\frac{1}{2}$ to 2 *teaspoonfuls*.

Confectio Jalapæ.

Compound Powder of Jalap	...	$\frac{1}{2}$ ounce.
Oil of Caraway	...	4 minims.
Glycerine, by weight	...	$\frac{1}{2}$ ounce.

Dose.— $\frac{1}{2}$ to 2 *teaspoonfuls*.

Confectio Potassii Tartratis Acidæ.

Acid Tartrate of Potassium	...	240 grains.
Ginger, in powder	...	5 grains.
Treacle, by weight	...	to 1 ounce.

Dose.— $\frac{1}{2}$ to 2 *teaspoonfuls*.

Confectio Sulphuris, St.B.P.

Sublimed Sulphur	...	200 grains.
Acid Tartrate of Potassium	...	50 grains.
Treacle, by weight	...	to 1 ounce.

Dose.—1 to 2 *teaspoonfuls*.

Confectio Sulphuris Composita.

Confection of Sulphur	...	$\frac{1}{2}$ ounce.
Guaiacum Resin, in powder...	...	80 grains.
Rhubarb Root, in powder	...	40 grains.
Nutmeg, in powder	...	40 grains.
Treacle, by weight	...	to 1 ounce.

Dose.—2 to 4 *teaspoonfuls*.

Decoctum Hemidesmi Compositum.

Hemidesmus Root, chips	...	...	2½ ounces.
Sassafras Root	...	...	¼ ounce.
Guaiacum Wood	...	...	¼ ounce.
Mezereon Bark	...	...	⅛ ounce.
Extract of Liquorice	...	...	¼ ounce.
Boiling Distilled Water	...	...	1½ pints.

Digest for one hour, boil for ten minutes, cool, strain, and make up to one pint.

Dose.—1 fluid ounce.

*** Emplastrum Belladonnæ, St.B.P.**

Extract of Belladonna	...	...	1 part.
Resin Plaster	{ of each	...	2 parts.
Soap Plaster			

Melt the plasters in a water bath, add the extract, and mix thoroughly.

Enema Asafœtida.

Tincture of Asafœtida	...	...	½ fl. ounce.
Mucilage of Starch	...	...	4 fl. ounces.

Enema Fellis Bovini.

Purified Ox Bile	...	...	30 grains.
Soap Enema	...	...	1 pint.

Enema Glycerini.

Glycerine	...	...	1–4 fl.drachms.
-----------	-----	-----	-----------------

May be used diluted with about an equal quantity of water.

** This differs from the Emplastrum Belladonnæ, B.P., which is made with Extractum Belladonnæ Alcoholicum.*

Enema Nutriens.—1.

Essence of Beef	...	...	...	3 fl. ounces.
Milk	...	...	...	1 fl. ounce.

Mix at a temperature of 95° F. Wine, brandy or opium to be added as ordered.

Enema Nutriens.—2.

Essence of Beef	...	...	...	3 fl. ounces.
One Egg.				

Beat up the egg, and mix with the essence at 95° F. Wine, brandy or opium as ordered.

Enema Nutriens Peptonizatum.

To either of the above, at a temperature of 150° F., add one fluid drachm of Liquor Pancreaticus, allow the mixture to cool to 95° F. before using.

Enema Olei Olivæ.

Olive Oil at 90° F.	...	...	...	$\frac{1}{2}$ to 1 pint.
---------------------	-----	-----	-----	--------------------------

Enema Olei Ricini.

Castor Oil	...	...	...	2 fl. ounces.
Mucilage of Starch, tepid	...	...	...	to 1 pint.

Enema Saponis.

Soft Soap	...	...	...	$\frac{3}{4}$ ounce.
Tepid Water	...	...	...	1 pint.

Extractum Malti cum Oleo Morrhuæ.

Extract of Malt	...	...	...	2 parts.
Cod Liver Oil	...	...	...	1 part.

Dose.—1 to 4 teaspoonfuls.

***Fomentum Acidi Borici.**

Boric Acid	...	...	...	6 drachms.
Boiling Water...	...	...	...	to 1 pint.

***Fomentum Belladonnæ.**

Extract of Belladonna	...	...	...	1 drachm.
Boiling Water...	...	...	...	1 pint.

***Fomentum Boroglyceridi.**

Boroglyceride	...	...	...	1 drachm.
Boiling Water...	...	...	...	1 pint.

Boroglyceride is prepared by heating together in a water bath 2 parts of Boric Acid and 3 parts of Glycerine.

***Fomentum Papaveris.**

Bruised Poppy Capsules	...	...	...	2 ounces.
Water	...	...	...	1 pint.

***Fomentum Papaveris cum Potassii Chlorate.**

Chlorate of Potassium	...	...	...	$\frac{1}{2}$ ounce.
Hot Poppy Fomentation	...	...	...	1 pint.

Fomentum Terebinthinæ.

Oil of Turpentine	...	...	...	2 fl. drachms.
-------------------	-----	-----	-----	----------------

Sprinkle on Flannel dipped in water at 120° F. and wrung out; when applied to be covered with Gutta-Percha tissue.

Gargarisma Acidi Carbolici.

Glycerine of Carbolic Acid	...	...	...	10 minims.
Distilled Water	...	...	...	to 1 fl. ounce.

Gargarisma Acidi Hydrochlorici.

Diluted Hydrochloric Acid	...	...	...	10 minims.
Decoction of Cinchona	...	...	...	to 1 fl. ounce.

* Temperature when used to be 120°-130° F.

Gargarisma Acidi Tannici.

Glycerine of Tannic Acid	...	...	1 fl. drachm.
Distilled Water	...	...	to 1 fl. ounce.

Gargarisma Aluminis.

Alum	...	...	10 grains.
Distilled Water	...	...	to 1 fl. ounce.

Gargarisma Aluminis Compositum.

Alum	...	...	10 grains.
Tincture of Myrrh	...	...	15 minims.
Distilled Water	...	...	to 1 fl. ounce.

Gargarisma Boracis.

Borax	...	...	10 grains.
Tincture of Myrrh	...	...	15 minims.
Distilled Water	...	...	to 1 fl. ounce.

Gargarisma Boracis et Potassii Chloratis.

Borax	...	...	3 grains.
Chlorate of Potassium	...	...	6 grains.
Tincture of Myrrh	...	...	15 minims.
Distilled Water	...	...	to 1 fl. ounce.

Gargarisma Capsici.

Tincture of Capsicum	...	...	10 minims.
Diluted Sulphuric Acid	...	...	6 minims.
Decoction of Cinchona	...	...	to 1 fl. ounce.

Gargarisma Chlorig.

Solution of Chlorine of full strength,
or diluted as may be ordered ... 1 fl ounce.

See p. 31, under Liquor Chlorig.

Gargarisma Potassii Chloratis.

Chlorate of Potassium	...	...	10 grains.
Tincture of Myrrh	...	...	15 minims.
Distilled Water	...	...	to 1 fl. ounce.

Gargarisma Potassii Permanganatis.

Solution of Permanganate of			
Potassium	...	...	10 minims.
Distilled Water	...	...	to 1 fl. ounce.

***Haustulus Ammonii Chloridi et Ipecacuanhæ.**

Chloride of Ammonium	...	...	2½ grains.
Wine of Ipecacuanha	...	...	3 minims.
Syrup of Tolu	...	...	10 minims.
Camphor Water	...	...	to 1 fl. drachm.

***Haustulus Belladonnæ Compositus.**

Tincture of Belladonna	...	...	2 minims.
Tincture of Squill	...	...	1 minim.
Wine of Ipecacuanha	...	...	1 minim.
Syrup of Tolu	...	...	10 minims.
Distilled Water	...	...	to 1 fl. drachm.

***Haustulus Bismuthi Compositus.**

Carbonate of Bismuth	...	...	2 grains.
Bicarbonate of Sodium	...	...	3 grains.
Compound Tincture of Cardamoms	...	...	10 minims.
Caraway Water	...	...	to 1 fl. drachm.

** Where the word Haustulus is used it is intended to signify a draught suitable for a child about two years old.*

For table of variation of doses at different ages, see page 50.

***Haustulus Carminativus.**

Bicarbonate of Sodium	...	...	2 grains.
Aromatic Spirit of Ammonia	...	...	3 minims.
Glycerine	...	...	10 minims.
Caraway Water	...	...	to 1 fl. drachm.

***Haustulus Cinchonæ.**

Compound Tincture of Cinchona	...	...	10 minims.
Chlorate of Potassium	...	...	2 grains.
Diluted Nitro-Hydrochloric Acid	...	...	2 minims.
Glycerine	...	...	5 minims.
Caraway Water	...	...	to 1 fl. drachm.

***Haustulus Ferri cum Oleo Morrhuæ.**

Solution of Citrate of	} of each	...	$\frac{1}{2}$ fl. drachm.
Iron and Ammonium			
Cod Liver Oil			

***Haustulus Ferri cum Oleo Morrhuæ Compositus.**

Solution of Citrate of Iron and			
Ammonium	...	...	20 minims.
Cod Liver Oil...	...	...	10 minims.
Extract of Malt	...	...	20 minims.
Saccharated Solution of Lime	...	...	10 minims.

***Haustulus Magnesii Sulphatis cum Rheo.**

Sulphate of Magnesium	...	...	5 grains.
Tincture of Rhubarb...	...	...	10 minims.
Caraway Water	...	...	to 1 fl. drachm.

***Haustulus Olei Ricini.**

Castor Oil	...	...	5 minims.
Mucilage of Acacia	...	...	10 minims.
Dill Water	...	...	to 1 fl. drachm.

***Haustulus Potassii Bromidi Compositus.**

Bromide of Potassium	...	...	1½ grains.
Tincture of Belladonna	...	...	2 minims.
Syrup	...	...	15 minims.
Distilled Water	...	...	to 1 fl. drachm.

***Haustulus Santonini et Olei Ricini.**

Santonine, in powder	...	...	1 grain.
Castor Oil	...	} of each	15 minims.
Mucilage of Acacia	...		
Liquorice Water	...	...	to 1 fl. drachm.

Haustus Acidi Gallici.

Glycerine of Gallic Acid	...	...	25 minims.
Rectified Spirit	...	...	15 minims.
Distilled Water	...	...	to 1 fl. ounce.

Contains 5 grains of Gallic Acid.

Haustus Acidi Hydrocyanici.

Diluted Hydrocyanic Acid	...	...	4 minims.
Bicarbonate of Sodium	...	...	5 grains.
Distilled Water	...	...	to 1 fl. ounce.

***Haustus Acidi Nitrohydrochlorici.**

Diluted Nitro-hydrochloric Acid	...	...	10 minims.
Tincture of Orange Peel	...	...	20 minims.
Chloroform Water	...	...	to 1 fl. ounce.

Haustus Aconiti cum Colchico et Quinina.

Tincture of Aconite	...	...	3 minims.
Tincture of Colchicum Seeds	...	...	10 minims.
Sulphate of Quinine	...	...	1 grain.
Diluted Sulphuric Acid	...	...	1½ minims.
Chloroform Water	...	...	to 1 fl. ounce.

* See Foot-note, p. 15.

**When a double asterisk is printed against any Haustus it signifies that such draught may in reduced quantity be considered suitable for children.

****Haustus Ætheris Ammoniat.**

Spirit of Ether	...	...	... $\frac{1}{2}$ fl. drachm.
Aromatic Spirit of Ammonia	...	...	... $\frac{1}{2}$ fl. drachm.
Distilled Water	...	...	... to 1 fl. ounce.

****Haustus Albus.**

Carbonate of Magnesium	...	...	... 15 grains.
Bicarbonate of Sodium	...	...	... 15 grains.
Peppermint Water	...	...	... to 1 fl. ounce.

****Haustus Ammonii Acetatis.**

Solution of Acetate of Ammonium	...	...	2 fl. drachms.
Camphor Water	...	...	... to 1 fl. ounce.

****Haustus Ammonii Acetatis cum Scilla.**

Vinegar of Squill	...	...	... 20 minims.
Draught of Acetate of Ammonia	...	...	... to 1 fl. ounce.

****Haustus Ammonii Chloridi.**

Chloride of Ammonium	...	...	... 10 grains.
Aromatic Spirit of Ammonia	...	...	... $\frac{1}{2}$ fl. drachm.
Chloroform Water	...	...	... to 1 fl. ounce.

Haustus Ammoniaci Foetidus.

Foetid Spirit of Ammonia	...	...	... 15 minims.
Ammoniacum Mixture	...	...	... to 1 fl. ounce.

Haustus Antimonii cum Magnesii Sulphate.

Antimonial Wine	...	...	... 30 minims.
Sulphate of Magnesium	...	...	... 60 grains.
Distilled Water	...	...	... to 1 fl. ounce.

Contains $\frac{1}{8}$ grain of Tartarated Antimony.

Hustus Bismuthi.

Subnitrate of Bismuth	...	...	10 grains.
Bicarbonate of Sodium	...	...	10 grains.
Chloroform Water	...	...	to 1 fl. ounce.

Hustus Calumbæ Alkalinus.

Bicarbonate of Sodium	...	...	10 grains.
Tincture of Calumba	...	} each	20 minims.
Tincture of Orange Peel	...		
Chloroform Water	...	...	to 1 fl. ounce.

Hustus Cascaræ Sagradæ.

Liquid Extract of Cascara	...	...	$\frac{1}{2}$ fl. drachm.
Aromatic Spirit of Ammonia	...	...	20 minims.
Syrup of Ginger	...	...	1 fl. drachm.
Glycerine	...	...	$\frac{1}{2}$ fl. drachm.
Peppermint Water	...	...	to 1 fl. ounce.

Hustus Cascarillæ cum Scilla.

Tincture of Squill	...	...	15 minims.
Spirit of Chloroform	...	...	5 minims.
Infusion of Cascarilla	...	...	to 1 fl. ounce.

Hustus Chlorig.

Glycerine	...	...	1 fl. drachm.
†Solution of Chlorine	<i>of full strength,</i>		
	<i>or diluted as ordered</i>		...
	...	...	to 1 fl. ounce.

Hustus Chloroformi Compositus.

Chloroform	...	...	1 minim.
Diluted Hydrocyanic Acid	...	...	3 minims.
Solution of Acetate of Morphine	...	...	3 minims.
Tincture of Cascarilla	...	...	30 minims.
Diluted Nitric Acid	...	...	10 minims.
Glycerine	...	...	60 minims.
Distilled Water	...	...	to 1 fl. ounce.

** See Foot-note, p. 17.

† See p. 31, under Liquor Chlorig.

****Haustus Cinchonæ Acidus.**

Spirit of Chloroform...	...	...	10 minims.
Aromatic Sulphuric Acid	...	...	10 minims.
Decoction of Cinchona	...	...	to 1 fl. ounce.

Haustus Colchici.

Tincture of Colchicum Seeds	...	...	20 minims.
Carbonate of Magnesium	...	...	10 grains.
Peppermint Water	...	...	to 1 fl. ounce.

Haustus Copaibæ.

Copaiba	...	...	15 minims.
Spirit of Nitrous Ether	...	...	15 minims.
Mucilage of Gum Acacia	...	...	60 minims.
Camphor Water	...	...	to 1 fl. ounce.

Haustus Copaibæ et Cubebæ.

Cubebs, in powder	...	...	30 grains.
Copaiba Draught	...	...	to 1 fl. ounce.

****Haustus Cretæ Aromaticus.**

Aromatic Powder of Chalk	...	...	30 grains.
Cassia Water	...	...	to 1 fl. ounce.

****Haustus Cretæ Aromaticus cum Opio.**

Aromatic Powder of Chalk and			
Opium	...	...	20 grains.
Cassia Water	...	...	to 1 fl. ounce.

Contains ½ grain of Opium.

****Haustus Effervescens Ammoniatus.**

Carbonate of Ammonium	...	...	15 grains.
Distilled Water	...	...	to 1 fl. ounce.

This Solution to be added to the following :—

Citric Acid	...	...	17 grains.
Distilled Water	...	...	to 1 fl. ounce.

To be taken during effervescence.

***Haustus Ferri et Ammonii Citratis.**

Citrate of Iron and Ammonium	...	8 grains.
Carbonate of Ammonium	...	2 grains.
Chloroform Water	...	to 1 fl. ounce.

Haustus Ferri cum Nuce Vomica.

Solution of Perchloride of Iron	...	10 minims
Tincture of Nux Vomica	...	6 minims.
Diluted Phosphoric Acid	...	5 minims.
Chloroform Water	...	to 1 fl. ounce.

Haustus Ferri et Potassii Iodidi.

Tartarated Iron	...	5 grains.
Iodide of Potassium	...	3 grains.
Peppermint Water	...	to 1 fl. ounce.

Haustus Ferri cum Quassia.

Solution of Perchloride of Iron	...	15 minims.
Infusion of Quassia	...	to 1 fl. ounce.

***Haustus Ferri Salinus.**

Citrate of Iron and Ammonium	...	5 grains.
Citrate of Potassium	...	20 grains.
Chloroform Water	...	to 1 fl. ounce.

***Haustus Filicis Maris.**

Liquid Extract of Male Fern	...	1 fl. drachm.
Compound Tragacanth Powder	...	20 grains.
Spirit of Chloroform	...	20 minims.
Peppermint Water	...	to 1 fl. ounce.

***Haustus Flavus.**

Caramel	...	a sufficiency.
Distilled Water	...	to 1 fl. ounce.

Hustus Gentianæ cum Rheo Alalinus.

Bicarbonate of Sodium	...	...	10 grains.
Compound Tincture of Gentian	...	...	30 minims.
Infusion of Rhubarb	...	...	$\frac{1}{2}$ fl. ounce.
Spirit of Chloroform	...	...	10 minims.
Peppermint Water	...	...	to 1 fl. ounce.

Hustus Gentianæ cum Rheo et Potassii Bromido.

Bromide of Potassium	...	...	10 grains.
Compound Tincture of Gentian	...	...	30 minims.
Infusion of Rhubarb...	...	...	$\frac{1}{2}$ fl. ounce.
Spirit of Chloroform...	...	...	10 minims.
Peppermint Water	...	...	to 1 fl. ounce.

Hustus Hemidesmi cum Potassii Iodido.

Iodide of Potassium	...	...	5 grains.
Compound Decoction of Hemidesmus	to 1 fl. ounce.		

Hustus Hydrargyri Perchloridi.

Solution of Perchloride of Mercury	1 fl. drachm.
Caramel	... a sufficiency.
Chloroform Water	... to 1 fl. ounce.

Contains $\frac{1}{16}$ grain of Perchloride of Mercury.

Hustus Hydrargyri Perchloridi cum Potassii Iodido.

Iodide of Potassium	...	...	5 grains.
Draught of Perchloride of Mercury	1 fl. ounce.		

Contains $\frac{1}{16}$ grain of Perchloride of Mercury.

****Hustus Ipecacuanhæ Ammoniatu.**

Wine of Ipecacuanha	...	...	10 minims.
Carbonate of Ammonium	...	...	5 grains.
Syrup of Tolu	...	...	$\frac{1}{2}$ fl. drachm.
Distilled Water	...	...	to 1 fl. ounce.

Hustus Ipecacuanhæ Emeticus.

Wine of Ipecacuanha	} of each	... ½ fl. ounce.
Oxymel of Squill ...		

Hustus Menthæ Sulphuricus.

Diluted Sulphuric Acid	...	...	10 minims.
Syrup of Red Poppy...	...	...	30 minims.
Peppermint Water	...	...	to 1 fl. ounce.

Hustus Menthæ Sulphuricus cum Ferri Sulphate.

Sulphate of Iron	...	...	1 grain.
Spirit of Chloroform	...	...	10 minims.
Sulphuric Mint Draught	...	...	to 1 fl. ounce.

Hustus Menthæ Sulphuricus cum Magnesii Sulphate.

Sulphate of Magnesium	...	...	60 grains.
Sulphuric Mint Draught	...	...	to 1 fl. ounce.

***Hustus Menthæ Sulphuricus cum Papavere et Scilla. (*Hustus pro Tussi.*)**

Syrup of Poppies	...	...	30 minims.
Tincture of Squill	...	...	15 minims.
Sulphuric Mint Draught	...	...	to 1 fl. ounce.

Hustus Morphine Hydrochloratis.

Solution of Hydrochlorate of Morphine	...	...	20 minims.
Distilled Water	...	...	to 1 fl. ounce.

*Contains ⅕ grain of Hydrochlorate of Morphine.***Hustus Morphine Hydrochloratis cum Ferro.**

Solution of Hydrochlorate of Morphine	...	...	10 minims.
Solution of Perchloride of Iron	...	...	15 minims.
Diluted Hydrochloric Acid	...	...	3 minims.
Chloroform Water	...	...	to 1 fl. ounce.

Contains 1/10 grain of Hydrochlorate of Morphine.

****Haustus Olei Amygdalæ.**

Almond Oil	...	...	} of each	...	2 fl. drachms.
Mucilage of Gum Acacia	...	...			
Distilled Water	...	...	...	...	to 1 fl. ounce.

****Haustus Olei Morrhuæ.**

Cod Liver Oil	...	...	} each	...	2 fl. drachms.
Mucilage of Gum Acacia	...	...			
Refined Sugar, in powder	...	...	...	...	30 grains.
Caraway Water	...	...	...	...	to 1 fl. ounce.

Haustus Opiatus.

Tincture of Opium	...	...	...	10 minims.
Chloroform Water	...	...	...	to 1 fl. ounce.

Contains the soluble matter of nearly $\frac{3}{4}$ grain of Opium.

Haustus Plumbi Acetatis.

Acetate of Lead	...	...	...	5 grains.
Oxymel	...	...	...	1 fl. drachm.
Distilled Water	...	...	...	to 1 ounce.

****Haustus Potassii Citratis.**

Citrate of Potassium	...	...	...	20 grains.
Distilled Water	...	...	...	to 1 fl. ounce.

Haustus Potassii Citratis Effervescens.

Bicarbonate of Potassium	...	...	...	20 grains.
Distilled Water	...	...	...	to 1 fl. ounce.

This Solution to be added to the following :—

Citric Acid, in powder	...	...	...	14 grains.
Distilled Water	...	...	...	to 1 fl. ounce.

To be taken during effervescence.

Haustus Potassii Chloratis.

Chlorate of Potassium	...	...	...	10 grains.
Distilled Water	...	...	...	to 1 fl. ounce.

Hustus Potassii cum Hyoscyamo.

Nitrate of Potassium	...	...	10 grains.
Bicarbonate of Potassium	...	...	20 grains.
Tincture of Henbane	...	...	20 minims.
Chloroform Water	...	...	to 1 fl. ounce.

Hustus Potassii Iodidi Ammoniatus.

Iodide of Potassium	...	...	5 grains.
Carbonate of Ammonium	...	...	2 grains.
Distilled Water	...	...	to 1 fl. ounce.

****Hustus Quininæ Sulphatis.**

Sulphate of Quinine	...	...	1 grain.
Diluted Sulphuric Acid	...	...	1½ minims.
Distilled Water	...	...	to 1 fl. ounce.

Hustus Quininæ Sulphatis cum Ferro.

Sulphate of Quinine	...	...	1 grain.
Sulphate of Iron	...	...	½ grain.
Spirit of Chloroform...	...	...	10 minims.
Acid Peppermint Draught	...	...	to 1 fl. ounce.

Hustus Quininæ Sulphatis cum Potassii Iodido.

Sulphate of Quinine	...	...	1 grain.
Iodide of Potassium	...	...	5 grains.
Diluted Sulphuric Acid	...	...	1½ minims.
Distilled Water	...	...	to 1 fl. ounce.

****Hustus Rhei Compositus.**

Compound Rhubarb Powder	...	...	30 grains.
Caraway Water	...	...	to 1 fl. ounce.

Hustus Salol.

Salol	...	...	...	8 grains.
Mucilage of Acacia	...	...	...	2 fl. drachms.
Cassia Water	...	...	...	to 1 fl. ounce.

Hustus Scoparii Compositus.

Tartrate of Potassium	...	...	20 grains.
Spirit of Juniper	...	...	30 minims.
Decoction of Broom	...	...	to 1 fl. ounce.

Hustus Senegæ Ammoniatus.

Carbonate of Ammonium	...	...	5 grains.
Tincture of Senega	...	...	20 minims.
Tincture of Squill	...	...	20 minims.
Chloroform Water	...	...	to 1 fl. ounce.

****Hustus Sennæ Compositus.***(House Physic.)*

Sulphate of Magnesium	...	...	$\frac{1}{4}$ ounce.
Spirit of Peppermint	...	...	10 minims.
Extract of Liquorice...	...	...	1 drachm.
Infusion of Senna	...	...	to 1 fl. ounce.

Hustus Serpentariæ Ammoniatus.

Carbonate of Ammonium	...	...	5 grains.
Tincture of Serpentry	...	...	30 minims.
Spirit of Aniseed	...	...	10 minims.
Peppermint Water	...	...	to 1 fl. ounce.

Hustus Sodii Salicylatis Compositus.

Salicylate of Sodium	...	...	10 grains.
Bicarbonate of Sodium	...	...	10 grains.
Aromatic Spirit of Ammonia	...	...	20 minims.
Liquorice Water	...	...	to 1 fl. ounce.

Hustus Sodii Salicylatis et Quininæ Alkalinus.

Salicylate of Sodium...	...	...	10 grains.
Sulphate of Quinine...	...	...	1 grain.
Bicarbonate of Sodium	...	...	10 grains.
Liquorice Water	...	...	to 1 fl. ounce.

Hautus Sodii Tartratis Effervescens.

Bicarbonate of Sodium	...	...	20 grains.
Distilled Water	...	...	to 1 fl. ounce.

This Solution to be added to the following :—

Tartaric Acid, in powder	...	...	17 grains.
Distilled Water	...	...	to 1 fl. ounce.

To be taken during effervescence.

Hautus Strychninæ et Acidi Phosphorici.

Solution of Hydrochlorate of			
Strychnine	...	...	3 minims.
Diluted Phosphoric Acid	...	...	15 minims.
Spirit of Chloroform	...	...	15 minims.
Infusion of Quassia	...	...	to 1 fl. ounce.

Contains about $1\frac{1}{32}$ grain of Hydrochlorate of Strychnine.

Hautus Terebinthinæ.

Oil of Turpentine	...	...	20 minims.
Mucilage of Gum Acacia	...	...	2 fl. drachms.
Caraway Water	...	...	to 1 fl. ounce.

Hautus Valerianæ cum Hyoscyamo.

Ammoniated Tincture of Valerian	...	...	30 minims.
Tincture of Henbane	...	...	20 minims.
Camphor Water	...	...	to 1 fl. ounce.

Hautus Zinci Emeticus.

Sulphate of Zinc	...	...	30 grains.
Distilled Water	...	...	to 1 fl. ounce.

***Injectio Acidi Borici.**

Boric Acid	...	...	60 grains.
Water	...	...	to 1 pint.

***Injectio Aluminis et Zinci.**

Alum	40 grains.
Sulphate of Zinc	20 grains.
Water	to 1 pint.

***Injectio Bismuthi.**

Subnitrate of Bismuth	90 grains.
Water	to 1 pint.

***Injectio Hydrargyri Iodidi Rubri.**

Red Iodide of Mercury	5 grains.
Iodide of Potassium	20 grains.
Water	to 1 pint.

***Injectio Hydrargyri Perchloridi.**

Perchloride of Mercury	5 grains.
Glycerine	$\frac{1}{2}$ fl. ounce.
Water	to 1 pint.

***Injectio Potassii Permanganatis.**

Solution of Permanganate of Potas- sium	$\frac{1}{2}$ fl. ounce.
Water	to 1 pint.

***Injectio Sodii Bicarbonatis.**

Bicarbonate of Sodium	60 grains.
Water	to 1 pint.

***Injectio Zinci Sulphocarbolatis.**

Sulphocarbolate of Zinc	120 grains.
Water	to 1 pint.

For Hypodermic Injections, see p. 69.

** These Injections are intended for vaginal use; for others, see under Lotions, p. 31.*

Linctus.

Acetic Acid...	...	...	2 minims.
Syrup of Poppies	...	...	36 minims.
Vinegar of Squill	...	...	36 minims.
Tragacanth, in powder	...	...	6 grains.
Confection of Hips	...	...	100 grains.
Water ...	...	...	to 1 fl. ounce.

Dose.—1 *teaspoonful*.

Linctus cum Ipecacuanha.

Wine of Ipecacuanha	...	...	30 minims.
Linctus	...	...	to 1 fl. ounce.

Dose.—1 *teaspoonful*, containing nearly 4 minims of
Ipecacuanha Wine.

Linctus Scillæ Opiatus.

Compound Tincture of Camphor	}	... equal parts.	
Oxymel of Squill			
Syrup of Tolu			

Dose.—1 *teaspoonful*, containing the soluble matter of
 $\frac{1}{12}$ grain of *Opium*.

Linimentum Calcis, St.B.P. (Carron Oil.)

Solution of Lime	}	... equal parts.	
Linseed Oil			

Linimentum Cantharidis.

Vinegar of Cantharides	...	...	6 fl. drachms.
Glacial Acetic Acid	...	...	40 minims.
Spirit of Rosemary	...	...	20 minims.
Glycerine	...	...	6 fl. drachms.
Distilled Water	...	...	to 4 fl. ounces.

Linimentum Cantharidis cum Ammonia.

Tincture of Cantharides	...	...	80 minims.
Strong Solution of Ammonia	...	...	160 minims.
Spirit of Rosemary	...	...	20 minims.
Glycerine	...	...	160 minims.
Almond Oil	...	...	6 fl. drachms.
Distilled Water	...	...	to 4 fl. ounces.

Linimentum Hydrargyri Oleatis—(5, 10, 15 p.c.).

Yellow Oxide of Mercury, freshly prepared	...	...	...	$\left. \begin{array}{l} 96 \\ 192 \\ 288 \text{ grains.} \end{array} \right\}$
Oleic Acid	...	...	...	to 4 fl. ounces.

Linimentum Iodi Dilutum.

Tincture of Iodine	}	...	...	equal parts.
Liniment of Iodine				

Contains about 30 grains of Iodine in a fluid ounce ; the Tincture, 12 grains ; the Liniment, 50 grains.

Linimentum Opii, St.B.P.

Tincture of Opium	...	...	1 fl. ounce.
Ammoniated Liniment of Soap	...	...	to 4 fl. ounces.

Linimentum Plumbi Subacetatis.

Solution of Subacetate of Lead	...	...	$\frac{1}{2}$ fl. ounce.
Olive Oil	...	...	to 4 fl. ounces.

Linimentum Potassii Iodidi.

Iodide of Potassium	...	...	2 drachms.
Solution of Ammonia	...	...	$\frac{1}{2}$ fl. ounce.
Liniment of Soap	...	...	to 4 fl. ounces.

Linimentum Saponis cum Ammonia.

Soft Soap	...	...	...	1½ ounce.
Oil of Marjoram	...	...	...	6 minims.
Methylated Spirit	...	∴	...	3 fl. drachms.
Oil of Turpentine	...	...	...	1½ fl. drachm.
Solution of Ammonia	...	...	...	1 fl. drachm.
Distilled Water	...	...	...	to 4 fl. ounces.

Liquor Ferri et Ammonii Citratis.

Citrate of Iron and Ammonium	...	...	...	12 grains.
Distilled Water	...	...	...	to 1 fl. ounce.

Liquor Chlori, St.B.P.

Chlorate of Potassium	...	...	...	3 drachms.
Hydrochloric Acid	...	...	...	1 fl. drachm.
Water	...	...	...	to 1 pint.

Add the Acid to the Chlorate in a large bottle; when the Chlorine given off has displaced the air, add the water gradually, corking and shaking the bottle after each addition.

Lotio Acidi Borici.

Boric Acid	...	...	...	10 grains.
Distilled Water	...	...	...	to 1 fl. ounce.

Lotio Acidi Borici cum Glycerino.

Boric Acid	...	...	...	15 grains.
Glycerine	...	...	...	1 fl. drachm.
Distilled Water	...	...	...	to 1 fl. ounce.

Lotio Acidi Carbolici cum Iodo.

Carbolic Acid, liquefied	...	...	...	12 minims.
Tincture of Iodine	...	...	...	6 minims.
Distilled Water	...	...	...	to 1 fl. ounce.

* This has in former editions been called *Vinum Ferri*.

Lotio Acidi Nitrici cum Opio.

Diluted Nitric Acid	...	...	3 minims.
Opium Lotion	...	...	to 1 fl. ounce.

Lotio Acidi Tannici Sulphurosa.

Glycerine of Tannic Acid	...	...	1 fl. drachm.
Sulphurous Acid	...	...	1 fl. drachm.
Distilled Water	...	...	to 1 fl. ounce.

Lotio Aluminis (*Three Strengths*).

Alum, in powder	...	...	4, 8 or 16 grains
Distilled Water	...	...	to 1 fl. ounce.

Lotio Ammonii Chloridi.

Chloride of Ammonium	...	...	15 grains.
Diluted Acetic Acid	...	...	20 minims.
Methylated Spirit	...	...	20 minims.
Distilled Water	...	...	to 1 fl. ounce.

Lotio Argenti Nitratis (*Varied Strengths*).

Nitrate of Silver	...	...	from 1 to 15 grains.
Distilled Water	...	...	to 1 fl. ounce.

Lotio Boracis.

Borax	...	...	10 grains.
Distilled Water	...	...	to 1 fl. ounce.

Lotio Calaminæ Composita.

Prepared Calamine	...	...	$\frac{1}{4}$ ounce.
Oxide of Zinc	...	...	$\frac{1}{4}$ ounce.
Solution of Subacetate of Lead	...	...	1 fl. drachm.
Glycerine	...	...	1 fl. drachm.
Lime Water	...	...	to 1 fl. ounce.

Lotio Cupri Sulphatis.

Sulphate of Copper	...	...	2 grains.
Distilled Water	...	...	to 1 fl. ounce.

Lotio Ferri Sulphatis.

Sulphate of Iron	...	...	3 grains.
Distilled Water	...	...	to 1 fl. ounce.

Lotio Opii.

Liquid Extract of Opium	...	...	1 fl. drachm.
Distilled Water	...	...	to 1 fl. ounce.

Lotio Plumbi.

Solution of Subacetate of Lead	...	...	6 minims.
Distilled Water	...	...	to 1 fl. ounce.

Lotio Plumbi cum Opio.

Liquid Extract of Opium	...	...	$\frac{1}{2}$ fl. drachm.
Lead Lotion	...	...	to 1 ounce.

Lotio Sodæ Chlorinatæ.

Solution of Chlorinated Soda	...	...	$\frac{1}{2}$ fl. drachm.
Distilled Water	...	...	to 1 fl. ounce.

Lotio Sodii Chloridi.

Chloride of Sodium	...	...	15 grains.
Distilled Water	...	...	to 1 fl. ounce.

Lotio Sulphuris Composita.

Precipitated Sulphur...	...	...	60 grains.
Spirit of Camphor	...	...	$\frac{1}{2}$ fl. drachm.
Lime Water	...	...	to 1 fl. ounce.

Lotio Zinci Composita.

Sulphate of Zinc	...	...	... 1 grain.
Acetate of Zinc	...	...	... 1 grain.
Tincture of Catechu...	...	...	... 10 minims.
Liquid Extract of Opium	...	...	... 30 minims.
Distilled Water	...	...	... to 1 fl. ounce.

Lotio Zinci Oxidi.

Oxide of Zinc...	...	...	... 30 grains.
Glycerine	...	...	... $\frac{1}{2}$ fl. drachm.
Lime Water	...	...	... to 1 fl. ounce.

Lotio Zinci Sulphatis (*Three Strengths*).

Sulphate of Zinc	...	...	... 1, 2 or 4 grains.
Distilled Water	...	...	... to 1 fl. ounce.

Lotio Zinci Sulphocarboulatis.

Sulphocarbonate of Zinc	...	...	... 4 grains.
Distilled Water	...	...	... to 1 fl. ounce.

Oleum Acidi Carbolici.

Carbolic Acid, liquefied	...	...	... 12 minims.
Olive Oil	...	...	... to 1 fl. ounce.

Contains nearly 2½ per cent. of Carbolic Acid.

Pasta Acidi Salicylici.

Salicylic Acid...	...	...	... 1 part.
Glycerine	...	...	... 9 parts.

Pasta Calcis et Potassæ.

Caustic Potash, in powder	}	... equal parts.	
Slaked Lime			
Glycerine	...	sufficient to make a paste of the required consistence.	

Pasta Calcis et Potassæ Alcoholica.

Caustic Potash, in powder	...	...	5 parts.
Slaked Lime	...	...	6 parts.
Rectified Spirit	...	...	a sufficiency.

Pasta Zinci Chloridi.

Chloride of Zinc, in powder	}			... equal parts.
Flour	...	...	...	
Glycerine	...	...	...	a sufficiency.

Pigmentum Acid Chromici (*Varying Strengths*).

Chromic Acid	...	...	10-180 grains.
Distilled Water	...	...	to 1 fl. ounce.

Pigmentum Acidi Tannici.

Tannic Acid	...	...	320 grains.
Glycerine	...	...	1 fl. ounce.

This is three times the strength of Glycerine of Tannic Acid.

Pigmentum Belladonnæ.

Extract of Belladonna	}			... equal parts.
Glycerine	...	...	...	

Pigmentum Chloral Compositum.

Hydrate of Chloral	...	...	} of each ... 1 part.
Menthol	...	...	
Thymol...	...	...	
Camphor	...	...	
		...	3 parts.

Pigmentum Ferri Perchloridi (*Two Strengths*).

Perchloride of Iron, Crystallised	...	60-120 grains.
Glycerine	...	$\frac{1}{2}$ fl. ounce.
Distilled Water	...	to 1 fl. ounce.

Pigmentum Hydrargyri Cyanidi.

Cyanide of Mercury ...	...	...	15 grains.
Distilled Water ...	...	...	to 1 fl. ounce

Pigmentum Iodi.

Iodine ...	...	...	30 grains.
Glycerine ...	...	...	to 1 fl. ounce.

Heat in a water bath till the Iodine is dissolved.

Pigmentum Iodoformi.

Iodoform ...	...	...	120 grains.
Glycerine ...	...	...	to 1 fl. ounce.

Pilula Aloes et Nucis Vomicae.

Pill of Barbadoes Aloes ...	...	...	4½ grains.
Extract of Nux Vomica ...	...	...	¼ grain.
Treacle ...	...	...	a sufficiency.

Pilula Atropinae.

Atropine ...	...	...	$\frac{1}{200}$ grain.
Rectified Spirit ...	...	...	$\frac{1}{20}$ minim.
Liquorice Powder ...	...	...	2 grains.
Treacle ...	...	...	a sufficiency.

Pilula Belladonnae.

Extract of Belladonna ...	...	...	$\frac{1}{2}$ grain.
Liquorice Powder ...	...	...	2 grains.
Treacle ...	...	...	a sufficiency.

Pilula Calcii Sulphidi (Three Strengths).

Sulphide of Calcium... ..	...	...	$\frac{1}{8}$, $\frac{1}{4}$ or $\frac{1}{2}$ gr
Sugar of Milk	...	...	2 grains.
Glycerine of Tragacanth ...	...	...	a sufficiency.

Pilula Camphoræ et Hyoscyami.

Camphor	...	...	} of each	... 2½ grains.
Extract of Henbane...				

Pilula Cannabis Indicæ (Three Strengths).

Extract of Indian Hemp	...	...	¼, ½ or 1 grain.
Liquorice Powder	...	...	a sufficiency.

Pilula Cascaræ Sagradæ.

Extract of Cascara Sagrada	...	2½ grains.
Liquorice Powder	...	a sufficiency.

Pilula Cascaræ Sagradæ et Nucis Vomica.

Extract of Cascara Sagrada	...	2½ grains.	
Extract of Nux Vomica	...	¼ grain.	<i>Bel(a)d.</i>
Capsicum Fruit, in powder	...	¼ grain.	
Liquorice Powder	...	a sufficiency.	

Pilula Codeinæ.

Codeine	...	...	...	½ grain.
Liquorice Powder	...	...	...	3 grains.
Treacle...	...	...	...	a sufficiency.

Pilula Creasoti.

Creasote	...	...	...	1 minim.
Hard Soap	...	...	...	1 grain.
Liquorice Powder	...	...	...	a sufficiency.

Pilula Creasoti et Asafœtidæ.

Creasote	...	...	...	1 minim.
Compound Pill of Asafœtida	...	...	...	2 grains.
Compound Rhubarb Pill	...	...	...	2 grains.

* Smaller sizes of these pills (½, ¼, ⅛) are also kept for children, to be broken up at time of taking, and mixed with syrup or fruit paste.

Pilula Elaterii Composita.

Elaterium	...	...	...	...	$\frac{1}{4}$ grain.
Subchloride of Mercury	...	...	...	...	$1\frac{1}{2}$ grain.
Compound Extract of Colocynth	...	...	...	...	2 grains.
Capsicum Fruit, in powder	...	...	...	...	$\frac{1}{2}$ grain.
Treacle...	...	...	...	...	a sufficiency.

Pilula Euonymi Composita.

Dry Extract of Euonymus	...	...	...	...	1 grain.
Extract of Aloes	...	...	...	...	$1\frac{1}{2}$ grain.
Ipecacuanha, in powder	...	...	...	...	$\frac{1}{2}$ grain.
Extract of Henbane	...	...	...	...	1 grain.

Pilula Ferri Sulphatis.

Dried Sulphate of Iron	...	...	...	...	1 grain.
Ginger, in powder	...	...	...	...	1 grain.
Extract of Gentian	...	...	...	...	3 grains.

Pilula Hydrargyri et Colocynthidis.

Mercurial Pill	...	...	...	...	1 grain.
Compound Extract of Colocynth	...	...	...	...	$2\frac{1}{2}$ grains.

Pilula Hydrargyri Colocynthidis et Hyoscyami.

Mercurial Pill...	...	...	...	...	1 grain.
Compound Extract of Colocynth	...	...	...	...	$2\frac{1}{2}$ grains.
Extract of Henbane	...	...	...	...	1 grain.

Pilula Hydrargyri et Digitalis Composita.

Mercurial Pill...	...	...	...	...	1 grain.
Powdered Digitalis	...	...	...	...	1 grain.
Powdered Squill	...	...	...	...	1 grain.
Extract of Henbane...	...	...	...	...	2 grains.

***Pilula Hydrargyri et Rhei.**

Mercurial Pill...	...	...	...	2 grains.
Compound Rhubarb Pill	...	...	...	3 grains.

Pilula Hydrargyri et Scillæ.

Mercurial Pill	...	...	...	3 grains.
Powdered Squill	...	...	...	1½ grain.

***Pilula Hydrargyri cum Creta.**

Mercury with Chalk	...	...	...	3 grains.
Gentian Root, in powder	{	...	...	a sufficiency.
Treacle...				

***Pilula Hydrargyri cum Creta Composita.**

Mercury with Chalk	...	...	...	2½ grains.
Compound Powder of Ipecacuanha	...	...	...	2½ grains.
Treacle...	...	...	...	a sufficiency.

Contains ¼ grain each of Opium and Ipecacuanha.

***Pilula Hydrargyri cum Creta et Quininae.**

Mercury with Chalk	...	...	...	3 grains.
Sulphate of Quinine	...	...	...	1 grain.
Treacle...	...	...	...	a sufficiency.

***Pilula Hydrargyri cum Creta et Rhei.**

Mercury with Chalk	...	...	...	2½ grains.
Rhubarb, in powder	...	...	...	2½ grains.
Treacle...	...	...	...	a sufficiency.

Pilula Hydrargyri Iodidi Viridis et Opii.

Green Iodide of Mercury	...	...	...	½ grain.
Opium	...	...	...	⅛ grain.
Treacle...	...	...	...	a sufficiency.

Pilula Hydrargyri Subchloridi et Colocynthis.

Subchloride of Mercury ... 1 grain.

Compound Extract of Colocynth ... 4 grains.

Pilula Hydrargyri Subchloridi Colocynthis et Hyoscyami.

Subchloride of Mercury ... 1 grain.

Compound Extract of Colocynth ... 3 grains.

Extract of Henbane... 1 grain.

***Pilula Hydrargyri Subchloridi et Jalapæ.
(House Pill).**

Subchloride of Mercury ... 1 grain.

Jalap ... 3 grains.

Treacle... a sufficiency.

***Pilula Hydrargyri Subchloridi et Rhei.**

Subchloride of Mercury ... 1 grain.

Rhubarb ... 4 grains.

Treacle ... a sufficiency.

***Pilula Hydrargyri Subchloridi et Scammonii.**

Subchloride of Mercury ... 1 grain.

Scammony ... 3 grains.

Treacle... a sufficiency.

Pilula Rhei et Nucis Vomicæ.Compound Rhubarb Pill ... $3\frac{1}{2}$ grains.Extract of Nux Vomica ... $\frac{1}{4}$ grain.Capsicum Fruit, in powder ... $\frac{1}{6}$ grain.***Pilula Santonini.**

Santonine ... 3 grains.

Extract of Gentian ... a sufficiency.

Pilula Zinci Oxidi et Belladonnæ.

Oxide of Zinc...	...	...	2 grains.
Extract of Belladonna	...	...	$\frac{1}{4}$ grain.
Confection of Roses	...	...	a sufficiency.

Pilula Zinci Valerianatis Composita.

Valerianate of Zinc	...	...	1 grain.
Compound Asafoetida Pill	...	...	3 grains.
Compound Rhubarb Pill	...	...	1 grain.

Potus Potassii Tartratis Acidæ.

Acid Tartrate of Potassium...	...	60 grains.
Half a fresh Lemon.		
Sugar	...	a sufficiency.
Boiling Water...	...	1 pint.

Infuse, stirring occasionally till cold, then strain.

Pulvis Acidi Tannici.

Tannic Acid	...	3 grains.
Borax	...	to 2 drachms.

1-2 grains for Laryngeal Insufflation.

Pulvis Acidi Tannici et Morphinæ.

Tannic Acid	...	3 grains.
Hydrochlorate of Morphine	...	3 grains.
Borax	...	to 2 drachms.

1-2 grains for Laryngeal Insufflation.

Pulvis Iodoformi et Morphinæ.

Hydrochlorate of Morphine	...	3 grains.
Iodoform	...	30 grains.
Borax	...	to 2 drachms.

1-2 grains for Laryngeal Insufflation.

Pulvis Morphinæ.

Hydrochlorate of Morphine...	...	10 grains.
Borax	...	to 2 drachms.

1-2 grains for Laryngeal Insufflation.

Pulvis Hydrargyri Subchloridi et Zinci.

Subchloride of Mercury ...	...	1 part.
Oxide of Zinc	...	2 parts.

For external use.

Pulvis Iodoformi et Acidi Borici.

Iodoform	...	1 part.
Boric Acid	...	3 parts.

For external use.

Pulvis Stramonii Compositus.

Stramonium Leaf, powdered	...	1 ounce.
Anise Fruit	...	$\frac{1}{2}$ ounce.
Tobacco Leaf	...	30 grains.
Nitrate of Potassium...	...	$\frac{1}{2}$ ounce.

From 10 to 30 grains to be burnt and the smoke inhaled.

Sapo Liquidus.

Soft Soap	...	2 ounces.
Methylated Spirit ...	...	1 fl. ounce.

Spiritus Anethi.

Oil of Dill	...	1 fl. ounce.
Rectified Spirit	...	to 50 fl. ounces.

Spiritus Anisi.

Oil of Anise	...	1 fl. ounce.
Rectified Spirit	...	to 50 fl. ounces.

Spiritus Carui.

Oil of Caraway	...	1 fl. ounce.
Rectified Spirit	...	to 50 fl. ounces.

Spiritus Caryophylli.

Oil of Cloves ...	...	...	1 fl. ounce.
Rectified Spirit ...	...	...	to 50 fl. ounces.

Spiritus Cassiæ Lignæ.

Oil of Cassia ...	...	...	1 fl. ounce.
Rectified Spirit ...	...	...	to 50 fl. ounces.

Suppositorium Acidi Tannici et Belladonnæ.

Tannic Acid ...	...	...	3 grains.
Extract of Belladonna ...	...	...	$\frac{1}{2}$ grain.
Oil of Theobroma ...	...	...	to 15 grains.

Suppositorium Acidi Tannici Belladonnæ et Opii.

Tannic Acid ...	...	...	5 grains.
Extract of Belladonna ...	...	...	$\frac{1}{2}$ grain.
Opium ...	...	...	1 grain.
Oil of Theobroma ...	...	...	to 15 grains.

Suppositorium Belladonnæ (*Three Strengths*).

Extract of Belladonna ...	...	...	$\frac{1}{2}$, 1 or 2 grains.
Oil of Theobroma ...	...	...	to 15 grains.

Suppositorium Belladonnæ et Morphinæ.

Extract of Belladonna ...	...	...	$\frac{1}{2}$ grain.
Hydrochlorate of Morphine...	...	...	$\frac{1}{4}$ grain.
Oil of Theobroma ...	...	...	to 15 grains.

Suppositorium Opii.

Compound Pill of Soap ...	...	...	12 grains.
---------------------------	-----	-----	------------

Contains nearly $2\frac{1}{2}$ grains of Opium.

Syrupus Papaveris, St.B.P.

Poppy Capsules, bruised and freed			
from seeds	...	...	2½ pounds.
Treacle	...	...	2 pounds.
Distilled Water, at 170° F.	...	...	3 gallons.

Macerate for 12 hours, draw off and express the liquor, evaporate to 2½ pints, and add the treacle.

Equal in strength to Syrupus Papaveris, B.P.

Syrupus Rhœados.

Dried Red Poppy Petals	...	...	13 ounces.
Treacle...	...	...	5¼ pounds.
Boiling Distilled Water	...	...	5½ pints.

Infuse the petals in the water for 12 hours, draw off and express the liquor, and add the treacle.

Unguentum Acidi Tannici.

Tannic Acid	...	...	1 drachm.
*Mixed Paraffin	...	...	to 1 ounce.

Unguentum Atropinæ, St.B.P.

Sulphate of Atropine	...	...	2 grains.
Soft Paraffin	...	...	to 1 ounce.

This is about ¼ the strength of the B.P. Ointment.

Unguentum Atropinæ et Acidi Borici.

Sulphate of Atropine	...	...	1 grain.
Boric Acid	...	...	60 grains.
Soft Paraffin	...	...	to 1 ounce.

*Soft Paraffin, with the addition of sufficient Hard Paraffin to be of fit consistency, the amount varying with time of year.

Unguentum Atropinæ et Cocainæ.

Sulphate of Atropine...	...	...	1 grain.
Hydrochlorate of Cocaine	...	...	5 grains.
Soft Paraffin	...	...	to 1 ounce.

Unguentum Atropinæ et Hydrargyri Oxidi Flavi.

Sulphate of Atropine	...	...	1 grain.
Yellow Oxide of Mercury	...	...	8 grains.
Soft Paraffin	...	...	to 1 ounce.

Unguentum Atropinæ et Iodoformi.

Sulphate of Atropine	...	...	2 grains.
Iodoform	...	...	60 grains.
Soft Paraffin	...	...	to 1 ounce.

Unguentum Cocainæ.

Hydrochlorate of Cocaine	...	...	10 grains.
Soft Paraffin	...	...	to 1 ounce.

Unguentum Cocainæ Compositum.

Cocaine	...	...	20 grains.
Hydrate of Chloral	...	...	60 grains.
Menthol	...	...	60 grains.
Soft Paraffin	...	...	to 1 ounce.

Unguentum Cocainæ et Hydrargyri Oxidi Flavi.

Hydrochlorate of Cocaine	...	...	5 grains.
Yellow Oxide of Mercury	...	...	8 grains.
Soft Paraffin	...	...	to 1 ounce.

Unguentum Cretæ.

Prepared Chalk	}	...	...	equal parts.
Prepared Lard				

Unguentum Diachyli.

Lead Plaster	{	...	...	...	equal parts.
Mixed Paraffin					

Unguentum Ferri Sulphatis.

Sulphate of Iron, in fine powder	...	10 grains.
Prepared Lard	...	to 1 ounce.

Unguentum Hydrargyri Ammoniati Compositum.

Ammoniated Mercury	...	10 grains.
Solution of Coal Tar	...	1 fl. drachm.
Mixed Paraffin	...	to 1 ounce.

Unguentum Hydrargyri Nitratis Compositum.

Carbolic Acid, crystals	...	60 grains.
Ointment of Nitrate of Mercury	...	$\frac{1}{2}$ ounce.
Ointment of Sulphur	...	to 2 ounces.

Unguentum Hydrargyri Oxidi Flavi (*Three Strengths*)

Yellow Oxide of Mercury	...	2, 4 or 8 grains.
Mixed Paraffin	...	to 1 ounce.

Unguentum Hydrargyri Oxidi Rubri dilutum.

Red Oxide of Mercury	...	10 grains.
Mixed Paraffin	...	to 1 ounce.

This is about $\frac{1}{6}$ the strength of the B.P. Ointment of Red Oxide of Mercury.

Unguentum Hydrargyri Sulphidi Rubri (*Two Strengths*).

Red Sulphide of Mercury	{	of each	2 or 6 grains.
Red Oxide of Mercury			
Creasote	...	...	2 minims.
Prepared Lard	...	...	1 ounce.

Unguentum Physostigminæ.

Sulphate of Physostigmine	...	...	2 grains.
Soft Paraffin	...	...	to 1 ounce.

Unguentum Picis cum Plumbo.

Ointment of Tar	...	}	... equal parts.
Ointment of Acetate of Lead	...		

Unguentum Simplex, St.B.P.

Yellow Wax	...	...	1 part.
Prepared Lard	...	...	3 parts.

Unguentum Styracis.

Prepared Storax, liquefied	...	...	$\frac{1}{2}$ ounce.
Prepared Lard	...	...	1 ounce.

Unguentum Sulphuris Compositum.

Sublimed Sulphur	...	...	30 grains.
Red Sulphide of Mercury	...	...	10 grains.
Ammoniated Mercury	...	...	10 grains.
Olive Oil	...	...	2 fl. drachms.
Creasote	...	...	4 minims.
Prepared Lard	...	...	1 ounce.

Unguentum Zinci Carbolatum.

Carbolic Acid, liquefied	...	...	1 fl. drachm.
Ointment of Zinc	...	...	1 ounce.

Vapor Acidi Carbolici.

Carbolic Acid, liquefied	...	...	20 minims.
Water, at 150° F.	...	...	1 pint.

Vapor Amyl Nitritis.

Nitrite of Amyl	...	...	... 1 minim.
Rectified Spirit	...	...	... to 1 fl.drachm.
Water, at 150° F.	...	...	... 1 pint.

Vapor Benzoini.

Compound Tincture of Benzoin	...	...	... 1 fl. drachm.
Water, at 150° F.	...	...	... 1 pint.

Vapor Camphoræ.

Spirit of Camphor	...	...	... 15 minims.
Rectified Spirit	...	...	... to 1 fl.drachm.
Water, at 150° F.	...	...	... 1 pint.

Vapor Creasoti.

{ Creasote	...	...	... 10 minims.
{ Light Carbonate of Magnesium	...	...	... 4 grains.
{ (Diffused in) Water	...	...	... to 1 fl.drachm.
Water, at 150° F.	...	...	... 1 pint.

Vapor Pini Sylvestris.

{ Oil of Scotch Pine	...	...	... 5 minims.
{ Light Carbonate of Magnesium	...	...	... 4 grains.
{ (Diffused in) Water	...	...	... to 1 fl.drachm.
Water, at 150° F.	...	...	... 1 pint.

Vapor Terebenæ.

{ Terebene, Pure	...	...	... 5 minims.
{ Light Carbonate of Magnesium	...	...	... 4 grains.
{ (Diffused in) Water	...	...	... 1 fl. drachm.
Water, at 150° F.	...	...	... 1 pint.

Vinum Ipecacuanhæ, St.B.P.

Ipecacuanha	...	...	...	...	1 ounce.
Sherry	...	...	...	...	4 fl. ounces.
Rectified Spirit	...	...	...	...	4 fl. ounces.
Distilled Water	...	...	...	...	12 fl. ounces.

Macerate the Ipecacuanha 7 days in the mixed liquids ;
draw off, express and filter, then add water to
make 1 pint.

Equal in strength to the B.P. Wine.

BURROUCH'S WELLCOME & CO

LIBRARY

No. ⁺ 538

SCALE OF DOSES AT DIFFERENT AGES.

Half the dose for an adult may be considered suitable for a child of about 12, half of this for a child of 4, half of this again for a child of 2, half of this again for a child 9 months to 1 year.

Thus—

AGE	Adult	12	4	2	9m.to 1 yr.
DOSE.....	1	$\frac{1}{2}$	$\frac{1}{4}$	$\frac{1}{8}$	$\frac{1}{16}$

For intermediate ages, when the dose for an adult is a draught of 1 fluid ounce, the following may be a sufficient guide—

AGE.					DOSE.	
9 m. to 1 year	...	...	...	...	$\frac{1}{2}$	fl. drachm.
2 years	...	...	...	...	1	„
3 „	...	...	...	...	$1\frac{1}{2}$	„
4 „	...	...	...	...	2	„
8 „	...	...	...	...	3	„
12 „	...	...	...	...	4	„
17 „	...	...	...	...	6	„
Adult	...	...	...	...	1	fl. ounce.

POSOLOGICAL TABLE.

Giving the doses for administration by the mouth.

The names of substances and preparations not contained in the British Pharmacopœia are printed in italics.

Acetanilidum (Antifebrin)	...	...	3 to 10 gr.
Acetum Scillæ	...	...	15 „ 40 min.
Acidum Aceticum	...	...	5 „ 15 „
— — dilutum	...	...	1 „ 2 fl. dr.
— Arseniosum	...	...	... ¹ / ₆₀ „ ¹ / ₁₂ gr.
— Benzoicum	...	...	10 „ 15 „
— Boricum	...	...	5 „ 30 „
— Carbolicum	...	...	1 „ 3 „
— — liquefactum	...	...	1 „ 4 min.
— Citricum	...	...	10 „ 30 gr.
— Gallicum	...	...	2 „ 10 „
— Hydrobromicum dilutum (10 per cent.)	...	...	15 „ 40 min.
— Hydrochloricum dilutum (10 per cent.)	...	...	10 „ 30 „
— Hydrocyanicum dilutum (2 per cent.)	...	...	2 „ 8 „
— Lacticum dilutum (11 per cent.)	...	...	30 „ 60 „
— Nitricum dilutum (17 per cent.)	...	...	10 „ 30 „
— Nitrohydrochloricum dilutum	...	...	5 „ 20 „
— Phosphoricum dilutum (14 per cent.)	...	...	10 „ 30 „
— Salicylicum	...	...	5 „ 30 gr.
— Sulphuricum Aromaticum (12½ per cent.)	...	...	5 „ 30 min.
— Sulphuricum dilutum (12½ per cent.)	...	...	5 „ 30 „

Acidum Sulphurosum (5 per cent.)	...	30 to 60 min.
— Tannicum	...	2 „ 10 gr.
— Tartaricum	...	10 „ 30 „
Æther... ..	...	20 „ 60 min.
— Aceticus	...	20 „ 60 „
Aloe Barbadosensis	...	2 „ 6 gr.
— Socotrina	...	2 „ 6 „
Aloin	...	$\frac{1}{2}$ „ 1 „
Alumen	...	10 „ 20 „
Ammoniacum	...	10 „ 20 „
Ammonii Benzoas	...	10 „ 20 „
— Bromidum	...	2 „ 20 „
— Carbonas... ..	...	3 „ 10 „
— Chloridum	...	5 „ 20 „
— <i>Iodidum</i>	...	3 „ 20 „
— Phosphas... ..	...	5 „ 20 „
— <i>Salicylas</i>	...	3 „ 20 „
Amyl Nitris	...	$\frac{1}{2}$ „ 1 min.
Antimonii Oxidum	...	1 „ 4 gr.
Antimonium Sulphuratum... ..	...	1 „ 5 „
— Tartaratum (Diaphoretic)...	$\frac{1}{16}$	$\frac{1}{6}$ „
— — (Depressant) ...	$\frac{1}{6}$	$\frac{1}{2}$ „
— — (Emetic) ...	1	2 „
Apomorphinæ Hydrochloras ...	$\frac{1}{16}$	$\frac{1}{4}$ gr.
Aqua Anethi... ..	...	$\frac{1}{2}$ „ 2 fl. oz.
— Anisi	...	$\frac{1}{2}$ „ 1 „
— Aurantii Flores	...	$\frac{1}{2}$ „ 2 „
— Camphoræ	...	$\frac{1}{2}$ „ 2 „
— Carui	...	$\frac{1}{2}$ „ 2 „
— Chloroformi	...	$\frac{1}{2}$ „ 2 „
— Cinnamomi	...	$\frac{1}{4}$ „ 1 „
— Laurocerasi	...	$\frac{1}{2}$ „ 1 fl. dr.
— Menthæ Piperitæ	...	$\frac{1}{2}$ „ 2 fl. oz.

Aqua Pimentæ	...	...	...	...	$\frac{1}{2}$ to 2 fl. oz.
— Rosæ	...	...	...	...	$\frac{1}{2}$ „ 2 „
— Sambuci	...	...	...	...	$\frac{1}{2}$ „ 2 „
Argenti Nitras	...	...	...	...	$\frac{1}{6}$ „ $\frac{1}{3}$ gr.
— Oxidum	...	...	...	...	$\frac{1}{2}$ „ 2 „
Arsenii Iodidum	...	...	...	...	$\frac{1}{30}$ „
Asafoetida	...	...	...	...	5 „ 20 „
Atropina	...	...	...	...	$\frac{1}{120}$ „ $\frac{1}{60}$ „
Atropinæ Sulphas	...	...	...	...	$\frac{1}{120}$ „ $\frac{1}{40}$ „
Balsamum Peruvianum	...	...	...	...	10 „ 15 min.
— Tolutanum	...	...	...	...	10 „ 20 gr.
<i>Benzene</i>	...	...	...	...	5 „ 10 min.
Bismuthi <i>Benzoas</i>	...	...	...	...	2 „ 20 gr.
— Carbonas	...	...	...	...	5 „ 20 „
— Citras	...	...	...	...	2 „ 5 „
— et Ammonii Citras	...	...	...	...	2 „ 5 „
— Oxidum	...	...	...	...	5 „ 15 „
— <i>Salicylas</i>	...	...	...	...	5 „ 20 „
— Subnitras	...	...	...	...	5 „ 20 „
Borax (Sodæ Biboras)	...	...	...	...	5 „ 40 „
<i>Bromal Hydras</i>	...	...	...	...	2 „ 5 „
<i>Bromoform</i>	...	...	...	...	1 „ 4 min.
<i>Bromol (Tribromophenol)</i>	...	...	...	...	$\frac{1}{2}$ „ 2 gr.
Butyl-Chloral Hydras	...	...	...	...	5 „ 15 „
Caffeina	...	...	...	...	1 „ 5 „
Caffeinæ Citras	...	...	...	...	2 „ 10 „
Calcii Carbonas Præcipitata	...	...	...	...	10 „ 60 „
— Chloridum	...	...	...	...	3 „ 10 „
— Hypophosphis	...	...	...	...	1 „ 6 „
— Phosphas	...	...	...	...	10 „ 20 „
— <i>Salicylas</i>	...	...	...	...	2 „ 20 „
— <i>Sulphidum</i>	...	...	...	...	$\frac{1}{10}$ „ 1 „
Calumba	...	...	...	...	5 „ 20 „

Calx Sulphurata	...	...	...	...	$\frac{1}{10}$ to 1 gr.
Cambogia	...	...	...	...	1 „ 4 „
Camphora	...	...	...	...	1 „ 10 „
Carbo Animalis Purificatus	...	...	...	...	20 „ 60 „
— Ligni	...	...	...	...	20 „ 60 „
Catechu	...	...	...	...	10 „ 30 „
Cerii Oxalas ..	...	...	...	...	1 „ 2 „
Chloral Hydras	...	...	...	...	5 „ 30 „
<i>Chloralimidum</i>	...	...	...	...	20 „ 40 „
Chloroformum	...	...	...	...	3 „ 10 min.
Chrysarobinum	...	...	...	...	$\frac{1}{6}$ „ $\frac{1}{2}$ gr.
Cinchoninæ Sulphas	...	...	...	...	1 „ 10 „
Coca	...	...	...	...	30 „ 120 „
<i>Cocaina</i>	...	...	...	...	$\frac{1}{5}$ „ 1 „
Cocainæ Hydrochloras	...	...	...	...	$\frac{1}{5}$ „ 1 „
Codeina	...	...	...	...	$\frac{1}{4}$ „ 1 „
Colchici Cormus	...	...	...	...	2 „ 8 „
Colocynthis Pulpa	...	...	...	...	2 „ 8 „
Confectio Opii (Op. 1 in 40)	...	...	...	...	10 „ 20 „
— Piperis	...	...	...	...	60 „ 120 „
— Scammonii	...	...	...	...	10 „ 30 „
— Sennæ	...	...	...	...	60 „ 120 „
— Sulphuris...	...	...	...	...	60 „ 120 „
— Terebinthinæ	...	...	...	...	60 „ 120 „
Conii Folia	...	...	...	...	2 „ 8 „
Copaiba	...	...	...	...	30 „ 60 min.
Creasotum	...	...	...	...	1 „ 3 „
Creta Præparata	...	...	...	...	10 „ 60 gr.
Cubeba	...	...	...	...	30 „ 120 „
Cupri Sulphas (Astringent)	...	...	...	...	$\frac{1}{2}$ „ 2 „
— — (Emetic)	...	...	...	...	5 „ 10 „
Cusso	...	...	...	...	$\frac{1}{4}$ „ $\frac{1}{2}$ oz.
Decoctum Aloes Compositum	...	...	...	...	$\frac{1}{2}$ „ 2 fl. oz.

Decoctum Hæmatoxyli	...	...	...	1 to 2 fl. oz.
— Pareiræ	...	...	...	1 „ 2 „
— Quercus	...	...	...	1 „ 2 „
— Sarsæ Compositum	...	...	...	1 „ 10 „
— Scoparii	...	...	...	1 „ 4 „
Digitalis Folia	...	...	...	$\frac{1}{2}$ „ $1\frac{1}{2}$ gr
Elaterinum	...	...	...	$\frac{1}{40}$ „ $\frac{1}{10}$ „
Elaterium	...	...	...	$\frac{1}{6}$ „ $\frac{1}{2}$ „
Ergota	...	...	...	20 „ 30 „
Ergotinum	...	...	...	2 „ 5 „
<i>Ethyl-Carbamate (Urethane)</i>	...	...	...	10 „ 60 „
Extractum Aconiti	...	...	...	$\frac{1}{4}$ „ 1 „
— Aloes Barbadosensis	...	...	...	2 „ 6 „
— — Socotrinæ	...	...	...	2 „ 6 „
— Belæ Liquidum	...	...	...	1 „ 2 fl. dr.
— Belladonnæ	...	...	...	$\frac{1}{4}$ „ 1 gr.
— — Alcoholicum	...	...	...	$\frac{1}{16}$ „ $\frac{1}{4}$ „
— Cannabis Indicæ	...	...	...	$\frac{1}{4}$ „ 1 „
— Cascaræ Sagradæ	...	...	...	2 „ 8 „
— — Liquidum	...	...	...	$\frac{1}{2}$ „ 2 fl. dr.
— Cinchonæ Liquidum	...	...	...	5 „ 10 min.
— Cocæ Liquidum	...	...	...	$\frac{1}{2}$ „ 2 fl. dr.
— Colchici	...	...	...	$\frac{1}{2}$ „ 2 gr.
— Colocyntidis Compositum	...	...	...	3 „ 10 „
— Conii	...	...	...	2 „ 6 „
— <i>Convallariæ</i>	...	...	...	2 „ 8 „
— Ergotæ Liquidum	...	...	...	10 „ 30 min.
— Euonymi	...	...	...	1 „ 4 gr.
— — Liquidum	...	...	...	10 „ 60 min.
— Filicis Liquidum	...	...	...	15 „ 60 „
— Gelsemii Alcoholicum	...	...	...	$\frac{1}{2}$ „ 2 gr.
— Gentianæ	...	...	...	2 „ 10 „
— Glycyrrhizæ	...	...	...	5 „ 60 „

Extractum Glycyrrhizæ Liquidum	...	30 to 60 min.
— Hæmatoxyli ...	...	10 „ 30 gr.
— Hamamelidis Liquidum	...	2 „ 5 min.
— Hydrastis Liquidum ...	...	5 „ 30 „
— Hyoscyami ...	...	5 „ 10 gr.
— Kramerizæ ...	...	5 „ 20 „
— <i>Malti</i> ...	...	1 „ 4 dr.
— Nucis Vomizæ ...	...	$\frac{1}{4}$ „ 1 gr.
— Opii ...	...	$\frac{1}{2}$ „ 2 „
— Opii Liquidum...	...	10 „ 40 min.
— Pareiræ Liquidum ...	...	$\frac{1}{2}$ „ 2 dr.
— Physostigmatis ...	...	$\frac{1}{16}$ „ $\frac{1}{4}$ gr.
— Quassizæ ...	...	2 „ 5 „
— Rhei ...	...	5 „ 15 „
— Sarsæ Liquidum ...	...	2 „ 4 dr.
— Stramonii ...	...	$\frac{1}{4}$ „ $\frac{1}{2}$ gr.
— Taraxaci ...	...	5 „ 30 „
— — Liquidum ...	...	$\frac{1}{2}$ „ 2 fl. dr.
— <i>Viburni Prunifolii</i> ...	...	2 „ 10 gr.
— — — <i>Liquidum</i>	10 „	30 min.
Fel Bovinum Purificatum ...	...	5 „ 10 gr.
Ferri Arsenias ...	...	$\frac{1}{16}$ „ $\frac{1}{2}$ „
— Carbonas Saccharata ...	...	5 „ 30 „
— et Ammonii Citras ...	...	5 „ 10 „
— et Quininæ Citras ...	...	5 „ 10 „
— <i>Iodidum</i> ...	...	1 „ 5 „
— Phosphas ...	...	5 „ 10 „
— Sulphas ...	...	1 „ 5 „
— — Exsiccata ...	...	$\frac{1}{2}$ „ 3 „
— — Granulata ...	...	1 „ 5 „
Ferrum Redactum ...	...	1 „ 5 „
— Tartaratum...	...	5 „ 10 „
Gelsemium ...	...	5 „ 30 „

Glusidum (Saccharin)	...	$\frac{1}{2}$ to 2 gr.
Glycerinum Acidi Carbolici (1 in 5)	...	5 „ 10 min.
— — Gallici (1 in 5)	...	10 „ 20 „
— — Tannici (1 in 5)	...	10 „ 20 „
— Aluminis (1 in 6) ...	...	$\frac{1}{2}$ „ 1 fl. dr.
— Boracis (1 in 7) ...	...	$\frac{1}{2}$ „ 1 „
Glycyrrhiza	...	5 „ 20 gr.
Guaiacol	...	1 „ 5 min.
Guarana	...	10 „ 60 gr.
Homatropinæ Hydrobromas ...	...	$\frac{1}{80}$ „ $\frac{1}{20}$ „
Hydrargyri Iodidum Rubrum ...	...	$\frac{1}{32}$ „ $\frac{1}{8}$ „
— Perchloridum	...	$\frac{1}{16}$ „ $\frac{1}{8}$ „
— Subchloridum	...	$\frac{1}{2}$ „ 5 „
Hydrargyrum cum Creta	...	3 „ 8 „
Infusum Aurantii Compositum ...	...	1 „ 2 fl. oz.
— Calumbæ	...	1 „ 2 „
— Cascarillæ	...	1 „ 2 „
— Catechu	...	1 „ 2 „
— Cinchonæ Acidum ..	...	1 „ 2 „
— Digitalis	...	$\frac{1}{4}$ „ $\frac{1}{2}$ „
— Gentianæ Compositum ...	...	1 „ 2 „
— Quassia	...	1 „ 2 „
— Rhei	...	1 „ 2 „
— Rosæ Acidum	...	1 „ 2 „
— Sennæ	...	1 „ 2 „
Iodoformum	...	$\frac{1}{2}$ „ 3 gr.
Ipecacuanha (Expectorant) ...	...	$\frac{1}{2}$ „ 2 „
— (Emetic)	...	15 „ 30 „
Jaborandi	...	5 „ 30 „
Jalapa... ..	...	10 „ 30 „
Jalapæ Resina	...	2 „ 5 „
Kamala	...	30 gr. „ $\frac{1}{4}$ oz.
Kino	...	10 „ 30 gr.

Liquor Ammoniaë	...	...	...	10 to 20 min.
— Fortior	...	...	...	3 „ 6 „
— Ammonii Acetatis	...	...	...	2 „ 6 fl. dr.
— Citratis	...	...	...	2 „ 6 „
— Arsenicalis (1 per cent.)	...	...	...	2 „ 8 min.
— Arsenici Hydrochloricus (1 per cent.)	2	„	8	„
— Arsenii et Hydrargyri Iodidi (1 per cent. each)	...	...	...	10 „ 30 „
— Atropinaë Sulphatis (1 per cent.)	1	„	4	„
— Bismuthi et Ammonii Citratis	...	$1\frac{1}{2}$	„	1 fl. dr.
— Calcii Chloridi	...	...	...	15 „ 40 min.
— Calcis	...	...	...	1 „ 4 fl. oz.
— Saccharatus	...	...	...	15 „ 60 min.
— Chlorig	...	...	...	10 „ 20 „
— Cocainæ Hydrochloratis (10 per cent.)	...	...	...	2 „ 10 „
— Ferri Acetatis	...	...	...	5 „ 30 „
— Dialysatus	...	...	...	10 „ 30 „
— Perchloridi	...	...	...	10 „ 30 „
— Pernitratis	...	...	...	10 „ 40 „
— Hydrargyri Perchloridi ($\frac{1}{2}$ gr. to 1 fl. oz.)	...	...	...	$1\frac{1}{2}$ „ 2 fl. dr.
— Magnesii Carbonatis	...	...	...	1 „ 2 fl. oz.
— Morphinæ Acetatis (1 per cent.)	...	...	...	10 „ 60 min.
— Bimeconatis ($1\frac{1}{4}$ per cent.)	5	„	40	„
— Hydrochloratis (1 per cent.)	...	...	...	10 „ 60 „
— Sulphatis (1 per cent.)	10	„	60	„
— <i>Pancreaticus</i>	...	...	...	1 „ 2 fl. dr.
— Potassæ (6 per cent.)	...	...	...	15 „ 60 min.
— Potassii Permanganatis (1 per cent.)	1	„	2 fl. dr.	
— Sodæ Chlorinataë	...	...	...	10 „ 20 min.
— Sodii Arsenatis (1 per cent.)	...	5	„	10 „

Liquor Strychninæ Hydrochloratis (1 per cent.)	...	...	...	...	5 to 10 min.
— Trinitrini (1 per cent.)	...	...	...	...	1 „ 2 „
Lithii Carbonas	...	...	...	...	2 „ 6 gr.
— Citras...	...	...	...	...	5 „ 10 „
Magnesia Levis	...	...	...	...	10 „ 60 „
— Ponderosa...	...	...	...	...	10 „ 60 „
Magnesii Carbonas Levis	...	...	...	...	10 „ 60 „
— — Ponderosa	...	...	...	...	10 „ 60 „
— Sulphas	...	...	...	...	60 „ 240 „
— — Effervescens	...	...	...	...	120 „ 480 „
Menthol	...	...	...	...	$\frac{1}{2}$ „ 2 „
Methylacetanilide (<i>Exalgin</i>)	...	...	...	...	2 „ 6 „
Mistura Ammoniaci...	...	...	...	...	$\frac{1}{2}$ „ 1 fl. oz.
— Amygdalæ	...	...	...	...	1 „ 2 „
— Creasoti	...	...	...	...	1 „ 2 „
— Cretæ	...	...	...	...	1 „ 2 „
— Ferri Composita	...	...	...	...	1 „ 2 „
— Guaiaci	...	...	...	...	$\frac{1}{2}$ „ 1 „
— Olei Ricini	...	...	...	...	$\frac{1}{2}$ „ 2 „
— Senna Composita	...	...	...	...	1 „ $1\frac{1}{2}$ „
Morphinæ Acetas	...	...	...	...	$\frac{1}{8}$ „ $\frac{1}{2}$ gr.
— Hydrochloras	...	...	...	...	$\frac{1}{8}$ „ $\frac{1}{2}$ „
— Sulphas	...	...	...	...	$\frac{1}{8}$ „ $\frac{1}{2}$ „
Moschus	...	...	...	...	5 „ 10 „
Myrrha	...	...	...	...	10 „ 20 „
Nux Vomica	...	...	...	...	1 „ 5 „
Oleum Anethi	...	...	...	...	1 „ 4 min.
— Anisi	...	...	...	...	1 „ 4 „
— Cajuputi	...	...	...	...	1 „ 4 „
— Carui	...	...	...	...	1 „ 4 „
— Caryophylli	...	...	...	...	1 „ 4 „
— <i>Cassia</i>	...	...	...	...	1 „ 4 „

Oleum Cinnamomi	...	...	...	1 to 4 min.
— Copaibæ	...	...	...	5 „ 20 „
— Coriandri	...	...	...	1 „ 4 „
— Crotonis	...	...	...	$\frac{1}{2}$ „ 1 „
— Cubebæ	...	...	...	5 „ 20 „
— Eucalypti	...	...	...	1 „ 4 „
— Juniperi	...	...	...	1 „ 4 „
— Lavandulæ	...	...	...	1 „ 4 „
— Limonis	...	...	...	1 „ 4 „
— Menthæ Piperitæ	...	...	...	1 „ 4 „
— Morrhuæ	...	...	...	1 „ 4 fl. dr.
— Myristicæ	...	...	...	1 „ 4 min.
— Pimentæ	...	...	...	1 „ 4 „
— Ricini	...	...	...	1 „ 8 fl. dr.
— Rosmarini	...	...	...	1 „ 4 min.
— Santali	...	...	...	10 „ 30 „
— Terebinthinæ	...	...	...	10 „ 240 „
Opium	...	...	...	$\frac{1}{2}$ „ 2 gr.
Oxymel	...	...	...	1 „ 2 fl. dr.
— Scillæ	...	...	...	$\frac{1}{2}$ „ 1 „
<i>Pancreatinum</i>	...	...	...	2 „ 4 gr.
Paraldehydum	...	...	...	$\frac{1}{2}$ „ $1\frac{1}{2}$ fl. dr.
Pepsin	...	...	...	2 „ 5 gr.
Phenacetinum	...	...	...	3 „ 20 „
Phenazonum (Antipyrin, Analgesine)	...	...	...	3 „ 20 „
Phosphorus	...	...	...	$\frac{1}{200}$ „ $\frac{1}{30}$ „
Physostigmatis Semen	...	...	...	1 „ 4 „
Physostigmina	...	...	...	$\frac{1}{100}$ „ $\frac{1}{50}$ „
Picrotoxinum	...	...	...	$\frac{1}{100}$ „ $\frac{1}{30}$ „
Pilocarpinæ Nitras	...	...	...	$\frac{1}{16}$ „ $\frac{1}{2}$ „
Pilula Aloes Barbadosensis	...	...	...	5 „ 10 „
— — et Asafoetidæ	...	...	...	5 „ 10 „
— — et Ferri	...	...	...	5 „ 10 „

Pilula Aloes et Myrrhæ	...	...	...	5 to 10 gr.
— — Socotrinæ	...	...	...	5 „ 10 „
— Asafoetidæ Composita	...	...	...	5 „ 10 „
— Cambogiæ Composita	...	...	...	5 „ 10 „
— Colocynthis Composita	...	...	...	5 „ 10 „
— — et Hyoscyami	...	...	...	5 „ 10 „
— Conii Composita	...	...	...	5 „ 10 „
— Ferri	...	...	...	5 „ 20 „
— — Carbonatis	...	...	...	5 „ 20 „
— — Iodidi	...	...	...	3 „ 8 „
— Hydrargyri	...	...	...	3 „ 8 „
— — Subchloridi Composita	...	...	...	5 „ 10 „
— Ipecacuanhæ cum Scilla	...	...	...	5 „ 10 „
— Phosphori (1 in 90)	...	...	...	2 „ 4 „
— Plumbi cum Opio (Op. 1 in 8)	...	...	...	3 „ 5 „
— Rhei Composita	...	...	...	5 „ 10 „
— Saponis Composita (Opium 1 in 5)	...	...	...	3 „ 5 „
— Scammonii Composita	...	...	...	5 „ 15 „
— Scillæ Composita	...	...	...	5 „ 10 „
<i>Piperazina</i>	...	...	...	4 „ 10 „
<i>Pix Liquida</i>	...	...	...	2 „ 10 „
<i>Plumbi Acetas</i>	...	...	...	1 „ 4 „
<i>Podophylli Resina</i>	...	...	...	$\frac{1}{4}$ „ 1 „
<i>Potassii Acetas</i>	...	...	...	10 „ 60 „
— Bicarbonas	...	...	...	10 „ 60 „
— Bromidum	...	...	...	5 „ 30 „
— Carbonas	...	...	...	10 „ 30 „
— Chloras	...	...	...	10 „ 30 „
— Citras	...	...	...	20 „ 60 „
— Cyanidum	...	...	...	$\frac{1}{12}$ „ $\frac{1}{4}$ „
— Iodidum	...	...	...	2 „ 20 „
— Nitras	...	...	...	5 „ 30 „
— Permanganas	...	...	...	1 „ 5 „

Potassii <i>Salicylas</i>	...	...	...	5 to 30 gr.
— Sulphas	...	...	...	15 „ 60 „
— Tartras	...	...	...	60 „ 240 „
— — Acida	...	...	...	20 „ 60 „
Pulvis Antimonialis	...	...	...	3 „ 5 „
— Catechu Compositus	...	...	...	20 „ 40 „
— Cinnamomi Compositus	...	...	...	3 „ 10 „
— Cretæ Aromaticus	...	...	...	10 „ 60 „
— — — cum Opio (1 in 40)	...	...	...	10 „ 40 „
— Elaterini Compositus (1 in 40)	...	...	...	½ „ 5 „
— Glycyrrhizæ Compositus	...	...	...	30 „ 60 „
— Ipecacuanhæ Compositus	...	...	...	2 „ 10 „
(Dover's Powder, Opium and Ipecacuanha, of each 1 in 10.)				
Pulvis Jalapæ Compositus	...	...	...	20 to 60 gr.
— Kino Compositus (Opium 1 in 20)	...	...	...	5 „ 20 „
— Opii Compositus (Op. 1 in 10)	...	...	...	2 „ 5 „
— Rhei Compositus	...	...	...	20 „ 60 „
— Scammonii Compositus	...	...	...	10 „ 20 „
* — Sodæ Tartaratæ Effervescens	...	...	...	...
— Tragacanthæ Compositus	...	...	...	20 „ 60 „
<i>Quinina</i>	...	...	...	1 „ 4 „
Quininæ <i>Hydrobromas</i>	...	...	...	1 „ 5 „
— Hydrochloras	...	...	...	1 „ 10 „
— <i>Salicylas</i>	...	...	...	2 „ 6 „
— Sulphas	...	...	...	1 „ 10 „
<i>Resorcin</i>	...	...	...	5 „ 15 „
Rhei Radix	...	...	...	5 „ 20 „
Saccharin (Glusidum).	...	...	...	...
Salicinum	...	...	...	3 „ 20 „
<i>Salol</i>	...	...	...	3 „ 30 „
Santonica	...	...	...	10 „ 60 „

*Tartarated Soda 120 gr., and Sodium Bicarbonate 40 gr., with 38 gr. of Tartaric Acid, commonly known as Seidlitz Powder.

Santoninum ...	...	...	...	2 to	6 gr.
Scammoniæ Resina ...	...	...	...	3 „	8 „
Scammonium ...	...	...	...	5 „	10 „
Scilla ...	...	...	...	1 „	3 „
Senna ...	...	...	...	10 „	30 „
Soda Tartarata ...	...	...	...	120 „	240 „
Sodii Arsenas ...	...	...	...	$\frac{1}{16}$ „	$\frac{1}{8}$ „
— Benzoas ...	...	...	...	10 „	30 „
— Bicarbonas ...	...	...	...	10 „	60 „
— Bromidum ...	...	...	...	10 „	30 „
— Carbonas ...	...	...	...	5 „	30 „
— Carbonas Exsiccata ...	...	...	...	3 „	10 „
— Chloridum ...	...	...	...	10 „	120 „
— Citro-Tartras Effervescens ...	...	...	...	60 „	240 „
— Hypophosphis ...	...	...	...	5 „	10 „
— <i>Hyposulphis</i> ...	...	...	...	5 „	20 „
— Iodidum ...	...	...	...	3 „	10 „
— Nitras ...	...	...	...	5 „	30 „
— Nitris ...	...	...	...	2 „	5 „
— Phosphas ...	...	...	...	60 „	240 „
— — Effervescens ...	...	...	...	120 „	240 „
— Salicylas ...	...	...	...	10 „	30 „
— Sulphas ...	...	...	...	120 „	240 „
— — Effervescens ...	...	...	...	120 „	240 „
— Sulphis ...	...	...	...	5 „	20 „
— Sulphocarbolas ...	...	...	...	10 „	15 „
— Valerianas ...	...	...	...	1 „	5 „
Spiritus Ætheris ...	...	...	...	$\frac{1}{2}$ „	$1\frac{1}{2}$ fl. dr.
— Ætheris Compositus ...	...	...	...	$\frac{1}{2}$ „	2 „
— — Nitrosi ...	...	...	...	$\frac{1}{2}$ „	2 „
— Ammoniæ Aromaticus ...	...	...	...	$\frac{1}{2}$ „	1 „
— — Foetidus ...	...	...	...	$\frac{1}{2}$ „	1 „
— Armoraciæ Compositus ...	...	...	...	1 „	2 „

Spiritus Cajuputi	...	...	...	$\frac{1}{2}$ to	1 fl. dr.
— Camphoræ	...	...	...	10 „	30 min
— Chloroformi (1 in 20)	...	...	...	5 „	60 „
— Cinnamomi	...	...	...	$\frac{1}{2}$ „	1 fl. dr.
— Juniperi	...	...	...	$\frac{1}{2}$ „	1 „
— Lavandulæ	...	...	...	$\frac{1}{2}$ „	1 „
— Menthæ Piperitæ	...	...	...	$\frac{1}{2}$ „	1 „
— Myristicæ	...	...	...	$\frac{1}{2}$ „	1 „
— Rosmarini	...	...	...	$\frac{1}{2}$ „	1 „
Strychnina	...	...	...	$\frac{1}{30}$ „	$\frac{1}{12}$ gr.
<i>Strychninæ Hydrochloras</i>	...	...	...	$\frac{1}{30}$ „	$\frac{1}{12}$ „
— Sulphas	...	...	...	$\frac{1}{24}$ „	$\frac{1}{10}$ „
Succus Belladonnæ	...	...	...	5 „	15 min
— Conii	...	...	...	$\frac{1}{2}$ „	1 fl. dr.
— Hyoscyami	...	...	...	$\frac{1}{2}$ „	1 „
— Scoparii	...	...	...	1 „	2 „
— Taraxaci	...	...	...	1 „	2 „
Sulphonal	...	...	...	15 „	40 gr.
Sulphur Præcipitatum	...	...	...	20 „	60 „
— Sublimatum	...	...	...	20 „	60 „
Syrupus Aurantii	...	...	...	...	1 fl. dr.
— — Floris	...	...	...	...	1 „
— <i>Cascaræ Sagradæ</i>	...	...	...	1 to	4 „
— Chloral (1 in 6)	...	...	...	$\frac{1}{2}$ „	2 „
— <i>Codeinæ</i> (1 gr. in fl. oz.)	...	...	...	$\frac{1}{2}$ „	1 „
— Ferri Iodidi	...	...	...	$\frac{1}{2}$ „	1 „
— — Phosphatis	...	...	...	...	1 „
— — Subchloridi	...	...	...	$\frac{1}{2}$ „	1 „
— Hemidesmi	...	...	...	...	1 „
— Limonis	...	...	...	...	1 „
— Mori	...	...	...	...	1 „
— Papaveris	...	...	...	...	1 „
— Rhei	...	...	...	1 to	4 „

Syrupus	Rhœados	...	...	...	...	1 fl. dr.
—	Rosæ	...	...	...	...	1 "
—	Scillæ	...	...	...	... $\frac{1}{2}$ to	1 "
—	Sennæ	...	...	...	... 1 "	4 "
—	Tolutanus	...	...	...	...	1 "
—	Trium Phosphatum	(Easton's Syrup)				...
—	Zingiberis	...	...	...	... $\frac{1}{2}$ to	1 "
Tabellæ	<i>Apomorphinæ</i>	...	...	...	...	($\frac{1}{50}$ gr.)
—	<i>Caffeinæ Citratis</i>	...	...	...	...	(1 ")
—	<i>Cocainæ</i>	...	...	...	...	($\frac{1}{20}$ ")
—	<i>Menthol</i>	...	...	...	...	($\frac{1}{5}$ ")
—	<i>Methylacetanilide</i>	...	...	...	...	($\frac{1}{2}$ ")
—	<i>Pepsinæ</i>	...	...	...	...	(3 ")
—	Trinitrini (Nitroglycerini)	...	...	...	...	($\frac{1}{100}$ ")
Tamarind	...	...	...	...	...	2 dr.
Terebena	Pura	...	...	...	... 5 to	30 min.
Theobromina	...	...	...	...	... 1 "	5 gr.
Theobrominum	<i>Natrio - Salicylicum</i>					
(Diuretin)	...	...	...	...	... 5 "	15 "
Thymol	...	...	...	...	... $\frac{1}{2}$ "	2 "
Tinctura	Aconiti	...	...	...	... 5 "	15 min.
—	Aloes	...	...	...	... 1 "	2 fl. dr.
—	Arnicae	...	...	...	... $\frac{1}{2}$ "	1 "
—	Asafoetidæ	...	...	...	... $\frac{1}{2}$ "	1 "
—	Aurantii	...	...	...	... 1 "	2 "
—	— Recentis	...	...	...	... 1 "	2 "
—	Belladonnæ	...	...	...	... 5 "	20 min.
—	Benzoini Composita	...	...	...	... $\frac{1}{2}$ "	1 fl. dr.
—	Buchu	...	...	...	... 1 "	2 "
—	Calumbæ	...	...	...	... $\frac{1}{2}$ "	2 "
—	Camphoræ Composita	(Opium				
	2 gr. in 1 fl. oz.)	...	...	...	... 15 "	60 min.

Tinctura Cannabis Indicæ ...	...	...	5	to 20 min.
— Cantharidis ...	...	...	5	„ 20 „
— Capsici ...	...	...	3	„ 20 „
— Cardamomi Composita ...	...	...	$1\frac{1}{2}$	„ 1 fl.dr.
— <i>Cascaræ Sagradæ</i> ...	...	...	10	„ 60 min.
— Cascarillæ ...	...	...	30	„ 60 „
— <i>Castorei</i> ...	...	...	$1\frac{1}{2}$	„ 1 fl.dr.
— Catechu ...	...	...	$1\frac{1}{2}$	„ 1 „
— Chiratæ ...	...	...	$1\frac{1}{2}$	„ 1 „
— Chloroformi Composita (Chl. 1 in 10) ...	...	...	5	„ 60 min.
— Chloroformi et Morphinæ ...	...	...	5	„ 10 „
(1 in 8 ... $\frac{1}{8}$ gr. in 1 fl. dr.)				
— Cimicifugæ ...	...	...	5	„ 60 „
— Cinchonæ ...	...	...	$1\frac{1}{2}$	„ 2 fl.dr.
— — Composita ...	...	...	$1\frac{1}{2}$	„ 2 „
— Cinnamomi ...	...	...	$1\frac{1}{2}$	„ 2 „
— Colchici Seminum ...	...	...	10	„ 30 min.
— Conii ...	...	...	20	„ 60 „
— <i>Convallariæ</i> ...	...	...	5	„ 30 „
— Cubebæ ...	...	...	$1\frac{1}{2}$	„ 2 fl.dr.
— Digitalis ...	...	...	5	„ 30 min.
— Ergotæ ...	...	...	5	„ 30 „
— Ferri Acetatis ...	...	...	5	„ 30 „
— — Perchloridi ...	...	...	5	„ 30 „
— Gallæ ...	...	...	$1\frac{1}{2}$	„ 2 fl.dr.
— Gelsemii ...	...	...	5	„ 20 min.
— Gentianæ Composita ...	...	...	$1\frac{1}{2}$	„ 2 fl.dr.
— Guaiaci Ammoniata ...	...	...	$1\frac{1}{2}$	„ 1 „
— <i>Guaranæ</i> ...	...	...	$1\frac{1}{2}$	„ 1 „
— Hamamelidis ...	...	...	5	„ 60 min.
— Hydrastis ...	...	...	$1\frac{1}{2}$	„ 1 fl.dr.
— Hyoscyami ...	...	...	$1\frac{1}{2}$	„ 1 „
— Iodi ...	...	...	5	„ 20 min.

Tinctura Jaborandi ...	...	...	...	$\frac{1}{2}$	to	1 fl. dr.
— Jalapæ ...	...	...	...	$\frac{1}{2}$	"	2 "
— Kino ...	...	...	...	$\frac{1}{2}$	"	2 "
— Krameriæ ...	...	...	...	$\frac{1}{2}$	"	2 "
— Lavandulæ Composita ...	...	...	...	$\frac{1}{2}$	"	2 "
— Limonis ...	...	...	...	$\frac{1}{2}$	"	2 "
— Lobeliæ Ætherea...	...	...	...	10	"	30 min.
— Myrrhæ ...	...	...	...	$\frac{1}{2}$	"	1 fl. dr.
— Nucis Vomicae ...	...	...	...	5	"	20 min.
— Opii (Op. about 33 gr. in 1 fl. oz.)	5	"	40	"		
— — Ammoniata (5 gr. in 1 fl. oz.)	10	"	60	"		
— Podophylli...	...	...	...	15	"	60 "
— Quassiae ...	...	...	...	$\frac{1}{2}$	"	2 fl. dr.
— Quininæ (1 gr. in 1 fl. dr.)	...	...	...	$\frac{1}{2}$	"	2 "
— — Ammoniata (1 gr. in						
1 fl. dr.) ...	...	...	...	$\frac{1}{2}$	"	2 "
— Rhei ...	...	...	...	1	"	2 "
— Scillæ ...	...	...	...	10	"	30 min.
— Senegæ ...	...	...	...	$\frac{1}{2}$	"	2 fl. dr.
— Sennæ ...	...	...	...	1	"	4 "
— Serpentariæ ...	...	...	...	$\frac{1}{2}$	"	2 "
— Stramonii ...	...	...	...	10	"	30 min.
— Strophanthi ...	...	...	...	2	"	10 "
— Sumbul ...	...	...	...	10	"	30 "
— Tolutana ...	...	...	...	10	"	40 "
— Valerianæ ...	...	...	...	$\frac{1}{2}$	"	2 fl. dr.
— Veratri Viridis ...	...	...	...	5	"	15 min.
— Zingiberis ...	...	...	...	15 min.	to	1 fl. dr.
— — Fortior ...	...	...	...	5 to 20 min.		
Trinitrin (Nitroglycerin) ...	...	...	...	$\frac{1}{2000}$	"	$\frac{1}{50}$ "
Trochisci Acidi Benzoici ...	...	...	...	($\frac{1}{2}$ gr.)		
— <i>Acidi Carbolici</i> ...	...	...	...	(1 "	)	
— Acidi Tannici ...	...	...	...	($\frac{1}{2}$ "	)	
— Bismuthi ...	...	...	...	(2 "	)	

Trochisci	<i>Boracis</i>	...	...	...	...	(3 gr.)
—	Catechu	...	...	...	...	(1 „)
—	<i>Cubebæ</i>	...	...	...	...	($\frac{1}{2}$ „)
—	Ipecacuanhæ	...	..	...	...	($\frac{1}{4}$ „)
—	Morphinæ...	...	...	...	...	($\frac{1}{36}$ „)
—	Morphinæ($\frac{1}{36}$ gr.)et Ipecacuanhæ	...	...	...	...	($\frac{1}{12}$ „)
—	Opii	...	...	...	...	($\frac{1}{10}$ gr.Extr.Op
—	Potassii Chloratis	...	...	...	...	(5 gr.)
—	Santonini	...	...	...	...	(1 „)
—	Sodii Bicarbonatis	...	...	...	...	(5 „)
—	Sulphuris	...	...	...	...	(5 „)
Vinum	Aloes...	...	...	...	...	1 to 2 dr.
—	Antimoniale (2 gr. Tart. Ant. to oz.)	...	...	...	...	5 min. to 1 dr.
—	Colchici	...	...	...	...	10 to 30 min.
—	Ferri	...	...	...	...	1 „ 4 fl. dr.
—	— Citratis	...	...	...	...	1 „ 4 „
—	Ipecacuanhæ (Expectorant)	...	...	...	...	5 „ 40 min.
—	— (Emetic)	...	...	...	...	2 „ 6 fl. dr.
—	Opii (22 gr. Extr. Op. to fl. oz)	...	...	...	...	10 „ 40 min.
—	Quininæ (1 gr. to fl. oz.)	...	...	...	...	$\frac{1}{2}$ „ 1 fl. oz.
—	Rhei	...	...	...	...	1 „ 2 fl. dr.
Zinci	Acetas	...	...	...	...	1 „ 2 gr.
—	Oxidum	...	...	...	...	2 „ 10 „
—	Sulphas	...	...	...	...	1 „ 3 „
—	— (Emetic)	...	...	...	...	10 „ 30 „
—	Valerianus	...	...	...	...	1 „ 3 „

SUBSTANCES USED FOR HYPODERMIC MEDICATION.

The three following formulæ are in the British
Pharmacopœia :—

Injectio Apomorphinæ Hypodermica.

Hydrochlorate of Apomorphine	...	2 grains.
Camphor Water		to 100 minims.

Dose, subcutaneously, 2 to 8 minims.

Injectio Ergotini Hypodermica.

Ergotin		50 grains.
Camphor Water		to 100 minims.

Dose, subcutaneously, 3 to 10 minims.

Injectio Morphinæ Hypodermica.

Acetate of Morphine		10 grains.
Distilled Water		to 100 minims.

Dose, subcutaneously, 1 to 5 minims.

Some of the Liquors of the British Pharmacopœia may also be used for hypodermic injection in doses as follows :—

✓ Liquor Atropinæ Sulphatis (1 p. c.)

Dose, subcutaneously, 1 to 5 minims.

16 ✓ Liquor Cocainæ Hydrochloratis (10 p. c.)

Dose, subcutaneously, 1 to 5 minims.

✓ Liquor Morphinæ Acetatis (1 p. c.)

Dose, subcutaneously, 10 to 30 minims.

14 ✓ Liquor Morphinæ Bimeconatis (1½ p. c.)

Dose, subcutaneously, 10 to 25 minims.

✓ Liquor Morphinæ Hydrochloratis (1 p. c.)

Dose, subcutaneously, 10 to 30 minims.

✓ Liquor Morphinæ Sulphatis... .. (1 p. c.)

Dose, subcutaneously, 10 to 30 minims.

✓ Liquor Strychninæ Hydrochloratis (1 p. c.)

Dose, subcutaneously, 1 to 2 minims.

The following are used in the form of discs to be dissolved in 6 to 10 minims of distilled water at the time of using.

Those printed in brackets are usually kept.

Apomorphinæ Hydrochloras ...	...	...	$\frac{1}{15}$, [$\frac{1}{10}$]	gr.
Atropinæ Sulphas ...	...	...	[$\frac{1}{150}$], $\frac{1}{100}$, [$\frac{1}{60}$]	"
Caffeinæ Sodio-Salicylas ...	...	...	[$\frac{1}{2}$]	"
Cocainæ Hydrochloras ...	...	...	$\frac{1}{6}$, $\frac{1}{4}$, [$\frac{1}{2}$]	"
Hyoscinæ Hydrobromas ...	...	...	[$\frac{1}{200}$], [$\frac{1}{75}$]	"
Hyoscyaninæ Sulphas...	...	...	$\frac{1}{80}$, [$\frac{1}{20}$]	"
Morphinæ Sulphas ...	...	...	$\frac{1}{12}$, $\frac{1}{8}$, [$\frac{1}{6}$], [$\frac{1}{4}$], $\frac{1}{3}$, $\frac{1}{2}$	"
Physostigminæ Sulphatis ...	...	...	$\frac{1}{100}$	"
Pilocarpinæ Hydrochloras ...	...	...	[$\frac{1}{10}$], [$\frac{1}{6}$], $\frac{1}{3}$	"
Sparteina Sulphate ...	...	...	[$\frac{1}{2}$]	"
Strychninæ Sulphas ...	...	...	$\frac{1}{150}$, $\frac{1}{100}$, [$\frac{1}{60}$]	"
Trinitrin... ..	...	...	$\frac{1}{250}$	"

The following have occasionally been administered hypodermically :—

Codeina	$\frac{1}{4}$ gr.
Digitalin	$\frac{1}{100}$ "
Hydrargyri Perchloridum	$\frac{1}{30}$ to $\frac{1}{100}$ "
Quininæ Sulphas	$\frac{1}{4}$ " 1 "
Picrotoxin	$\frac{1}{120}$ " $\frac{1}{60}$ "

Also in Oily Solvents :

Creasotum	1 to 3 min.
Guaiacol... ..	1 " 3 "

As Stimulants may be used hypodermically :

Brandy	$\frac{1}{2}$ to $1\frac{1}{2}$ fl. dr.
Ether	20 m. to 1 fl. dr

LIST OF SUBSTANCES OR PREPARATIONS, &c., OF THE BRITISH PHARMACOPŒIA FOR EXTERNAL USE.

Acetum Cantharidis.

Acidum Oleicum.

Argenti et Potassii Nitras (Mitigated Caustic).

— Nitras (Lunar Caustic).

Charta Epispastica.

— Sinapis.

Collodium.

— Flexile.

— Vesicans.

Emplastrum Ammoniaci cum Hydrargyro.

— Belladonnæ (1 in 3)

— Calefaciens ... (Cantharides 1 „ 30)

— Cantharidis (1 „ 3)

— Ferri.

— Galbani.

— Hydrargyri (1 in 3)

— Menthol (1 „ 5)

— Opii (1 „ 10)

— Picis.

— Plumbi (Lead Oxide 1 in 4)

— Plumbi Iodidi (Lead Iodide 1 in 10,
Oxide 1 „ 5)

— Resinæ.

— Saponis.

Hirudo.

Lamellæ Atropinæ $\frac{1}{5000}$ gr.

— Cocainæ $\frac{1}{200}$ „

— Physostigminæ $\frac{1}{1000}$ „

Linimentum Aconiti.

— Ammonię (1 in 4)

Linimentum Belladonnæ.

—	Calcis.				
—	Camphoræ ...	...	...	...	(1 in 5)
—	—	Compositum	(Cam-		
	phor	1 in 9, Strong Sol. of Ammonia	2	„	9)
—	Chloroformi	...	...	...	(1 „ 2)
—	Crotonis	...	...	...	(1 „ 8)
—	Hydrargyri	...	...	...	(1 „ 6)
—	Iodi ...	...	...	...	(1 „ 9)
—	Opii ...	...	...	...	(1 „ 30)
—	Potassii Iodidi cum Sapone	...			(1 „ 10)
—	Saponis.				
—	Sinapis Compositum.				
—	Terebinthinæ	...	...	...	(4 in 5)
—	—	Aceticum	(1 in 2 and 1	„	9)

Liquor Epispasticus (Cantharides 1 in 4)

—	Iodi	...	...	...	(22 gr. to oz.)
—	Potassæ	...	...	...	(27 gr. to oz.)

Lotio Hydrargyri Flava.

— — Nigra.

Oleatum Hydrargyri	...	...	...	...	(1 in 10)
— Zinci	...	...	...	...	(1 „ 10)

Potassæ Caustica.

Unguentum Acidi Borici	...	...	...	(1 in 7)
— — Carbolicæ	...	...	...	(1 „ 19)
— — Salicylici	...	...	...	(1 „ 28)
— Aconitinæ	...	...	...	(1 „ 60)
— Antimonii Tartarati	...	...	...	(1 „ 5)
— Atropinæ	...	...	...	(1 „ 60)
— Belladonnæ	...	...	...	(1 „ 10)
— Calaminæ	...	...	...	(1 „ 6)
— Cantharidis	...	...	...	(1 „ 8)
— Cetacei.				
— Chrysarobini	...	...	...	(1 „ 25)

Unguentum Conii	...	...	...	...	
— Creasoti	...	...	...	...	(1 in 9)
— Elemi	...	...	...	...	(1 „ 5)
— Eucalypti	...	...	...	...	(1 „ 5)
— Gallæ	...	...	...	...	(2 „ 11)
— Gallæ (1 in 7) cum Opio (1 in 15.)					
— Glycerini Plumbi Acetatis			...	...	(1 „ 21)
— Hamamelidis	...	...	...	...	(1 „ 10)
— Hydrargyri	...	...	...	...	(1 „ 2)
— — Ammoniati		...	...	...	(1 „ 10)
— — Compositum		...	...	...	(1 „ 4½)
— — Iodidi Rubri		...	...	...	(1 „ 28)
— — Nitratis		...	...	...	(1 „ 16)
— — — Dilutum			...	...	(1 „ 48)
— — Oxidi Rubri		...	...	...	(1 „ 8)
— — Subchloridi		...	...	...	(1 „ 6½)
— Iodi	...	...	...	...	(1 „ 31)
— Iodoformi	...	...	...	...	(1 „ 10)
— Picis Liquidæ	...	...	...	...	(5 „ 7)
— Plumbi Acetatis	...	...	...	...	(1 „ 38)
— — Carbonatis	...	...	...	...	(1 „ 8)
— — Iodidi	...	...	...	...	(1 „ 8)
— Potassæ Sulphuratæ		...	...	...	(1 „ 16)
— Potassii Iodidi	...	...	...	...	(1 „ 8)
— Resinæ.					
— Sabinæ	...	...	...	...	(1 „ 3)
— Simplex.					
— Staphisagriæ	...	...	...	...	(1 „ 3)
— Sulphuris	...	...	...	...	(1 „ 5)
— — Iodidi	...	...	...	...	(1 „ 16)
— Terebinthinæ	...	...	...	...	(1 „ 2)
— Veratrinæ	...	...	...	...	(1 „ 63)
— Zinci	...	...	...	...	(1 „ 6)
— — Oleati	...	...	...	...	(1 „ 20)

LIST OF SUPPOSITORIES OF THE BRITISH PHARMACOPŒIA.



Suppositorium Acidi Carbolici (1 gr.) cum Sapone.

— — Tannici (3 gr.).

— — — (3 gr.) cum Sapone.

— Glycerini (70 p. c.)

— Hydrargyri (5 gr.).

— Iodoformi (3 gr.).

— Morphinæ ($1\frac{1}{2}$ gr.).

— — ($1\frac{1}{2}$ gr.) cum Sapone.

— Plumbi (3 gr. Ac.) Compositum (1 gr. Op.).



ENGLISH MEASURES AND WEIGHTS.

APOTHECARIES' FLUID MEASURE.

60 Minims (m)	...	= 1 Fluid Drachm	...	f. 3
8 Drachms	...	= 1 Fluid Ounce...	...	f. 3
20 Ounces	...	= 1 Pint	...	0
8 Pints	...	= 1 Gallon	...	C

A Teaspoonful should be equivalent to one Drachm, a Dessert-spoonful to two, a Table-spoonful to four.

APOTHECARIES' WEIGHT.

20 Grains	...	= 1 Scruple	...	9
(60 gr.) 3 Scruples..	= 1 Drachm	...	3	
8 Drachms.	= 1 Ounce	...	3	
12 Ounces...	= 1 Pound	...	lb	

The Ounce and the Pound of Apothecaries' Weight may be considered obsolete; the Weights of the British Pharmacopœia being :—

$$\begin{array}{l}
 437.5 \text{ Grains} = 1 \text{ Ounce} \\
 16 \text{ Ounces (7000 gr.)} = 1 \text{ Pound}
 \end{array}
 \left. \vphantom{\begin{array}{l} 437.5 \text{ Grains} \\ 16 \text{ Ounces} \end{array}} \right\} \text{Avoirdupois.}$$

METRIC SYSTEM OF WEIGHTS AND MEASURES.

The Unit of Length is the Metre.

The ten-millionth part of the estimated length of a quarter of a terrestrial meridian.

The Unit of Capacity is the Litre.

The volume of a cube, the length of whose edge is one-tenth of a metre.

The Unit of Weight is the Gramme.

The weight of the volume of distilled water (at 4° C, when its density is greatest) contained in a cube the length of whose edge is one-hundredth of a metre.

Decimal fractional parts are indicated by prefixes derived from the Latin :—

Deci.	Centi.	Milli.
-------	--------	--------

Decimal multiples are indicated by prefixes derived from the Greek :—

Deka.	Hecto.	Kilo.
-------	--------	-------

Thus—

*Millimetre ... = $\frac{1}{1000}$ or .001 metre.

Centimetre ... = $\frac{1}{100}$ „ .01 „

Decimetre ... = $\frac{1}{10}$ „ .1 „

Metre.

Dekametre ... = ... 10 metres.

Hectometre ... = ... 100 „

Kilometre ... = ... 1000 „

Millilitre ... = $\frac{1}{1000}$ litre = 1 cubic centimetre.

Centilitre ... = $\frac{1}{100}$ „ = 10 „ „

Decilitre ... = $\frac{1}{10}$ „ = 100 „ „

Litre ... „ ... = 1000 „ „

Dekalitre ... = 10 litres.

Hectolitre ... = 100 „

Kilolitre ... = 1000 „

*Histologists use the micromillimetre (μ .) which is $\frac{1}{1000}$ of a millimetre.

Milligramme...	=	·001	gramme.
Centigramme ..	=	·01	„
Decigramme...	=	·1	„
Gramme ...	=	Weight of 1	cubic centimetre of
Dekagramme	=	10 grammes.	[water at 4° C.
Hectogramme	=	100	„
Kilogramme...	=	1000	„

Relation between English Measures and Weights and those of the Metric System.

1 Metre = 39·37079 inches.

1 Gramme = 15·43235 grains.

The following Approximations, sufficiently close for some purposes, may be noted :—

Metre	39 $\frac{3}{8}$	inches.
Decimetre	3 $\frac{1}{16}$	„
Centimetre	$\frac{2}{5}$	„
Millimetre	$\frac{1}{25}$	„
Litre	1 $\frac{3}{4}$	pints.
Cubic Centimetre	17	minims.
Kilogramme	35 $\frac{1}{4}$	ounces.
Gramme	15 $\frac{1}{2}$	grains.
Centigramme	between $\frac{1}{6}$ and $\frac{1}{7}$	grain.
Milligramme	$\frac{1}{65}$	grain.
Foot	305	millimetres.
Inch	25	„
Pint	568	cubic centimetres.
Fluid Ounce	28	„ „
Ounce	28	grammes.
Grain	65	milligrammes.

ST. BARTHOLOMEW'S

	No. 1. FULL DIET (Men). [<i>Dieta Carnis.</i>] D. C.	No. 2. FULL DIET (Women). [<i>Dieta Carnis.</i>] D. C.
BREAKFAST {	Tea $\frac{3}{4}$ pint.	Tea $\frac{3}{4}$ pint.
	Butter $\frac{1}{2}$ oz.	Butter $\frac{1}{2}$ oz.
TEA {	Tea $\frac{3}{4}$ pint.	Tea $\frac{3}{4}$ pint.
	Butter $\frac{1}{2}$ oz.	Butter $\frac{1}{2}$ oz.
DURING REMAINDER OF 24 HOURS {	Meat (6 times a week) 6 oz. dressed, without bone.	Meat (6 times a week) 4 oz. dressed, without bone.
	Fish (once a week) 10 „ dressed, without bone.	Fish (once a week) ... 8 „ dressed, without bone.
	Potato 8 „ or when Fresh Vegeta- bles are not too dear,	Potato 6 „ with addition of
	Potato 6 „ and	Fresh Vegetable ... 3 „ (when Fresh Vegetables are not too dear.)
	Fresh Vegetable ... 4 „	
	Pudding 4 „	Pudding 4 „
	Milk 1 pint.	Milk 1 pint.
	Bread 18 oz.	Bread 12 oz.

MEAT AND FISH:—

Sunday Roast Beef.
Monday Boiled Mutton.
Tuesday Irish Stew.
Wednesday Roast Mutton.

Thursday Boiled Mutton.
Friday Fish.
Saturday Roast Mutton.

Patients on admission are to be placed on Spoon Diet

Beef Tea, Beef Essence, Mutton Broth, and Mutton

Dry Arrowroot and Cocoa, in powder, to be

It is particularly requested that, in ordering Diets, the Medical Officers will adhere Patient unless the Medical Officer considers it essential to the Patient's proper

HOSPITAL—DIET SCALE.

No. 3. CONVALESCENT DIET. [<i>Dieta Dimidia.</i>] D. D.	No. 4. MILK DIET. [<i>Dieta Lactis.</i>] D. L.	No. 5. SPOON DIET. [<i>Dieta Tenuis.</i>] D. T.
Tea ½ pint.	Tea ½ pint.	Tea ...½ pint.
Butter ½ oz.	Butter ½ oz.	
Tea ½ pint.	Tea ½ pint.	Tea ...½ pint.
Butter ½ oz.	Butter ½ oz.	
Mutton Chop..... 4 oz. dressed, without bone. Or, one of the following:— Minced or Pounded Meat 4 oz. . dressed, without bone. Fish 6 „ dressed, without bone. Rabbit 4 „ dressed, without bone.	Pudding (not Suet) 8 oz.	
Mashed Potato 6 „		
Pudding (not Suet)... 8 „		
Milk 2 pints.	Milk 2 pints.	Milk...2 pints.
Bread { Men 14 oz. Women 12 „	Bread { Men 14 oz. Women ...12 „	

PUDDINGS:—
Ice*Four times a week.*
Lemon*Once a week.*
Suet (with Golden
Syrup)*Twice a week.*
Mustard.....*Only when specially
ordered.*

CHILDREN'S DIET :—
For young Children { *Spoon or Milk
Diet,
without Tea.*
For older Children ...*Women's Full
Diet.*

Until a Diet is ordered by the Physician or Surgeon.

essence to be supplied only when specially ordered.

kept in the Wards for use when ordered.

as closely as possible to the above Diet Scale. No extra is to be ordered for a
treatment. All Diets, as well as stimulants, are to be re-written weekly.

LONDON:

CHARLES SKIPPER AND EAST, PRINTERS,
49, Great Tower Street, E.C.

BURROUGHS, WELLCOME & CO

LIBRARY

No. ⁺538.





